

| SN | NUPCO CODE    | ITEM SPECIFICATION  | VENDOR NAME                                  | MANUFACTURER   | TRADE DESCRIPTION        |
|----|---------------|---|--|----------------|--------------------------|
| 1  | 5144150001100 | CONTRAST MEDIUM IODINE-BASED LOW OSMOLALITY WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 350MG IODIN E/ML, 50ML  | Saudi Arabian Drug Store Company LTD - Orig- | GE HEALTH CARE | OMNIPAQUE 350MG/ML 50ML  |
| 1  | 5144150001100 | CONTRAST MEDIUM IODINE-BASED LOW OSMOLALITY WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 350MG IODIN E/ML, 50ML  | Farouk Maamon Tamer & Company -Orig-         | GUERBET        | XENETIX 350/50           |
| 2  | 5144150001200 | CONTRAST MEDIUM IODINE-BASED LOW OSMOLALITY WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 350MG IODIN E/ML, 100ML | Saudi Arabian Drug Store Company LTD - Orig- | GE HEALTH CARE | omnipaque 350mg/ml 100ml |
| 2  | 5144150001200 | CONTRAST MEDIUM IODINE-BASED LOW OSMOLALITY WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 350MG IODIN E/ML, 100ML | Farouk Maamon Tamer & Company -Orig-         | GUERBET        | XENETIX 350/100          |
| 3  | 5144150001300 | CONTRAST MEDIUM IODINE-BASED LOW OSMOLALITY WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 350MG IODIN E/ML, 500ML | Farouk Maamon Tamer & Company -Orig-         | GUERBET        | XENETIX SCANBAG 350/500  |
| 4  | 5144150001400 | CONTRAST MEDIUM IODINE-BASED LOW OSMOLALITY WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 300MG IODIN E/ML, 100ML | Saudi Arabian Drug Store Company LTD - Orig- | GE HEALTH CARE | omnipaque 300mg/ml 100ml |
| 5  | 5144150001500 | CONTRAST MEDIUM IODINE-BASED LOW OSMOLALITY WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 300MG IODIN E/ML, 500ML | Farouk Maamon Tamer & Company -Orig-         | GUERBET        | XENETIX SCANBAG 300/500  |
| 6  | 5144150001600 | CONTRAST MEDIUM IODINE-BASED ISOOSMOLAR WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 270MG IODINE/ML , 50ML      | Cancelled                                    |                |                          |

| SN | NUPCO CODE    | ITEM SPECIFICATION   | VENDOR NAME                                  | MANUFACTURER   | TRADE DESCRIPTION         |
|----|---------------|--|--|----------------|---------------------------|
| 7  | 5144150001700 | CONTRAST MEDIUM BARIUM - BASED HIGH DENSITY BARIUM SULFATE POWDER FOR SUSPENSION FOR DOUBLE CONTRAST ESOPHAGUS STOMACH AND DUODENUM UNDER FLUOROSCOPIC EXAMINATION .320-340 G HIGH DENSITY 98%W/W WITHOUT FLAVORED ANTI-FOAMING AND SUSPENDING AGENT | Cancelled                                    |                |                           |
| 8  | 5144150001800 | CONTRAST MEDIUM BARIUM - BASED HIGH DENSITY BARIUM SULFATE POWDER FOR SUSPENSION FOR DOUBLE CONTRAST ESOPHAGUS STOMACH AND DUODENUM UNDER FLUOROSCOPIC EXAMINATION .320-340 G HIGH DENSITY 98%W/W WITH FLAVORED ANTI-FOAMING AND SUSPENDING AGENT    | Cancelled                                    |                |                           |
| 9  | 5144150001900 | CONTRAST MEDIUM IODINE-BASED WATER SOLUBLE CONTRAST MEDIUM WITHOUT FLAVORING FOR G.I.T EXAMINATION 300MG I/ML AND CT SCAN (ORAL AND RECTAL) 100ML/BOTTLE   | Cancelled                                    |                |                           |
| 10 | 5144150002000 | MRI CONTRAST MEDIUM MACROCYCLIC IONIC GADOLINIUM-BASED WATER SOLUBLE CONTRAST MEDIUM FOR INJECTION CONCENTRATION 0.5MMOL/ML, 10ML/VIALS  | Saudi Arabian Drug Store Company LTD - Orig- | GE HEALTH CARE | clariscan 0.5mmol/ml 10ml |
| 10 | 5144150002000 | MRI CONTRAST MEDIUM MACROCYCLIC IONIC GADOLINIUM-BASED WATER SOLUBLE CONTRAST MEDIUM FOR INJECTION CONCENTRATION 0.5MMOL/ML, 10ML/VIALS  | Farouk Maamon Tamer & Company -Orig-         | GUERBET        | DOTAREM 10ML              |

| SN | NUPCO CODE    | ITEM SPECIFICATION   | VENDOR NAME  | MANUFACTURER                               | TRADE DESCRIPTION                              |
|----|---------------|--|--|--|--|
| 11 | 5144150002100 | MRI CONTRAST MEDIUM<br>MACROCYCLIC IONIC<br>GADOLINIUM-BASED WATER<br>SOLUBLE CONTRAST MEDIUM FOR<br>INJECTION CONCENTRATION<br>0.5MMOL/ML, 20ML/VIA LS                                | Saudi Arabian Drug<br>Store Company LTD -<br>Orig- | GE HEALTH CARE                             | clariscan<br>0.5mmol/ml<br>20ml                |
| 11 | 5144150002100 | MRI CONTRAST MEDIUM<br>MACROCYCLIC IONIC<br>GADOLINIUM-BASED WATER<br>SOLUBLE CONTRAST MEDIUM FOR<br>INJECTION CONCENTRATION<br>0.5MMOL/ML, 20ML/VIA LS                                | Farouk Maamon Tamer<br>& Company -Orig-            | GUERBET                                    | DOTAREM 20ML                                   |
| 12 | 5144150002200 | CONTRAST MEDIUM OIL BASED<br>IODINATED (ETHYL ESTERS OF<br>IODIZED FATTY ACIDS OF POPPY<br>SEED OIL 10 ML 4.8G AMPOULE   | Farouk Maamon Tamer<br>& Company -Orig-            | GUERBET                                    | LIPIODOL                                       |
| 13 | 4220400000300 | CART LEAD SHIELDED FOR PET FOR<br>DOSE TRANSPORT   | International Radiation<br>Technology - IRT -Orig- | LEMER PAX                                  | MANUBOX  |
| 14 | 5144150002300 | ULTRA SOUND CONTRAST<br>MEDIUM INJECTABLE SUSPENSION<br>FOR INTRAVENOUS USE AND<br>INTRAVESICAL USE<br>(ULTRASONOGRAPHY OF THE LIVER<br>AND URINARY TRAACT FOR ADULT<br>AND PEDIATRIC) | No Quotation                                       |  |  |
| 15 | 4220260209400 | 177 LU-DOTATATE 200 MCI (FOR<br>NEUROENDOCRINE TUMOR<br>THERAPY) (CALIBRATION SHOULD<br>BE SPECIFIED ACCORDING TO THE<br>DELIVERY DAY) AT LEAST 1 DAY<br>LATER                         | AL-TAKASSUSI<br>GENERAL LIMITED Co.<br>Br -Orig-   | KING FAISAL<br>SPECIALIST<br>HOSPITAL & RC | Lu-177 DOTATE<br>200mci ( for<br>neuroendcrine |
| 16 | 4220260209500 | 177 LU-200 MCI CARRIER FREE<br>(FOR TUMOR THERAPY)<br>(CALIBRATION SHOULD BE<br>SPECIFIED ACCORDING TO THE<br>DELIVERY DAY) AT LEAST 1 DAY<br>LATER                                    | AL-TAKASSUSI<br>GENERAL LIMITED Co.<br>Br -Orig-   | CMR EUROPE                                 | Lu-177 200mci<br>Carrier free ( for<br>tumor t |
| 17 | 4220260209600 | 177 LU-400 MCI CARRIER FREE<br>(FOR TUMOR THERAPY)<br>(CALIBRATION SHOULD BE<br>SPECIFIED ACCORDING TO THE<br>DELIVERY DAY) AT LEAST 1 DAY<br>LATER                                    | AL-TAKASSUSI<br>GENERAL LIMITED Co.<br>Br -Orig-   | CMR EUROPE                                 | Lu-177 400mci<br>Carrier free ( for<br>tumor t |
| 18 | 4220260209700 | 177 LU-200 MCI CARRIER ADDED<br>(FOR TUMOR THERAPY)<br>(CALIBRATION SHOULD BE<br>SPECIFIED ACCORDING TO THE<br>DELIVERY DAY) AT LEAST 1 DAY<br>LATE R                                  | AL-TAKASSUSI<br>GENERAL LIMITED Co.<br>Br -Orig-   | CMR EUROPE                                 | Lu-177 200mci<br>Carrier Added ( for<br>tumor  |

| SN | NUPCO CODE    | ITEM SPECIFICATION   | VENDOR NAME                                     | MANUFACTURER                           | TRADE DESCRIPTION                        |
|----|---------------|--|---|--|--|
| 19 | 4220260209800 | 177 LU-400 MCI CARRIER ADDED (FOR TUMOR THERAPY) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 1 DAY LATE R   | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | CMR EUROPE                             | Lu-177 400mci Carrier Added ( for tumor  |
| 20 | 4220260209900 | DOTATOC PEPTIDE (FOR LABELING) 100 MICRO GRAM/VIAL   | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | CMR EUROPE                             | Dotatoc peptide ( for lableing ) 100 mic |
| 21 | 4220260210000 | DOTATATE PEPTIDE (FOR LABELING) 100 MICRO GRAM/VIAL  | International Radiation Technology - IRT -Orig- | ABX, ADVANCE BIOCHEMICAL COMPOUNDS     | DOTA-TATE acetate (GMP)                  |
| 22 | 4220260210100 | DOTATOC PEPTIDE WITH ASCORBIC ACID (FOR LABELING) 100 MICRO GRAM/VIAL  | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | CMR EUROPE                             | DOTATOC PEPTIDE with ascorbic acid ( for |
| 23 | 4220260210200 | DOTATATE PEPTIDE ASCORBIC ACID (FOR LABELING) 100 MICRO GRAM/VIAL  | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | CMR EUROPE                             | DOTATE PEPTIDE with ascorbic acid ( for  |
| 24 | 4220260210300 | PSMA11 PEPTIDE (FOR LABELING) 20-50 MICRO GRAM   | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | ITG GERMANY                            | PSMA11 PEPTIDE ( FOR LABLING ) 20-50 mic |
| 25 | 4220260210400 | PSMA617 PEPTIDE (FOR LABELING) 100-600 MICRO GRAM  | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | ITG GERMANY                            | PSMA617 PEPTIDE ( FOR LABLING ) 100-600  |
| 26 | 4220260400000 | 177 LU-PSMA 617 200 MCI (FOR TUMOR THERAPY) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 1 DAY LATER   | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | KING FAISAL SPECIALIST HOSPITAL & RC   | Lu-177 PSMA 617 200mci ( for tumer       |
| 27 | 4220260400100 | 90 Y CHLORIDE 100 MCI (FOR THERAPY) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 1 DAY LATER   | International Radiation Technology - IRT -Orig- | ECKERT & ZIEGLER RADIOPHARMA GMBH      | YTTRIUM 90                               |
| 28 | 4220260210500 | JR 11 PEPTIDE (FOR LABELING) 100 MICRO GRAM/VIAL   | No Quotation                                    |  |  |
| 29 | 4220260210600 | FAPI KIT (FOR LABELING) 100 MICRO GRAM/VIAL  | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | CMR EUROPE                             | FAPI KIT ( FOR LABELING ) 100MICO GRAM / |
| 30 | 4220260210700 | 57 CO FLOOD SOURCES (FOR GAMMA CAMERA CALIBRATION) 20 MCI (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY) DIMENSIONS ACCORDING TO THE END USER WITH SHIELDING TROLLY | Isotopes Trading Compant -Orig-                 | ECKERT & ZIEGLER ISOTOPE PRODUCTS GMBH | Co-57 Flood Source                       |

| SN | NUPCO CODE    | ITEM SPECIFICATION  | VENDOR NAME                               | MANUFACTURER  | TRADE DESCRIPTION                  |
|----|---------------|---|---|---------------|------------------------------------|
| 31 | 4220260204800 | 68 GA-GENERATOR 50 MCI RESIN COLUMN (FOR PET/CT) (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)  | Dar Al-Zahrawi Medical Company -Orig-     | ITG           | Ga68 Generator 50 mCi Metal Free   |
| 32 | 4220260210800 | 68 GA-GENERATOR 100 MCI METALLIC COLUMN (FOR PET/CT) (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)  | Cancelled                                 |               |                                    |
| 33 | 4220260210900 | 68 GA-GENERATOR 100 MCI RESIN COLUMN (FOR PET/CT) (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)   | Cancelled                                 |               |                                    |
| 34 | 4220260211000 | 90 YTTRIUM CHLORIDE(FOR SYNOVECTOMY) 12 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER                                   | No Quotation                              |               |                                    |
| 35 | 4220260211100 | 90 YTTRIUM MICROSPHERE BOUNDED IN RESIN 3 GBQ (FOR LIVER TUMOR THERAPY) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 2 DAYS LATER       | Abdulla Fouad for medical supplies -Orig- | Sirtex        | SIR-Spheres Y-90 resin microsphe   |
| 36 | 4220260211200 | 99MTC-TECHNETIUM 99M STERILE GENERATOR (30 GBQ) WITH MINIMUM 10 ELUTION VIALS (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER | Dar Al-Zahrawi Medical Company -Orig-     | POLATOM       | poltechnet 30 GBq Tc-99m Generator |
| 37 | 4220260211300 | 99MTC-TECHNETIUM 99M STERILE GENERATOR (25 GBQ) WITH MINIMUM 10 ELUTION VIALS (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER | Modawina Medical Trading Est. -Orig-      | CURIUM        | Tc-99m Generator 25 GBq            |
| 38 | 4220260215100 | HMPAO KIT STABILIZED (FOR LABELLING WITH 99 MTC FOR CEREBRAL BLOOD FLOW STUDY) VIAL   | Abdulla Fouad for medical supplies -Orig- | GE HEALTHCARE | STABILIZED CERETEC Kit for the p   |
| 39 | 4220260215200 | HMPAO KIT (FOR LABELLING WITH 99 MTC FOR CEREBRAL BLOOD FLOW STUDY) VIAL LONG EXPIRATION DATE NOT LESS THAN 12 MONTH  | Dar Al-Zahrawi Medical Company -Orig-     | ROTOP         | HMPAO Neuroscan 5 / kit            |
| 40 | 4220260211400 | HMPAO KIT (FOR LABELING WITH 99 MTC FOR WBC LABELING STUDY) VIAL  | Dar Al-Zahrawi Medical Company -Orig-     | ROTOP         | HMPAO Neuroscan 5 / kit            |

| SN | NUPCO CODE    | ITEM SPECIFICATION  | VENDOR NAME                                     | MANUFACTURER                         | TRADE DESCRIPTION                        |
|----|---------------|---|---|--------------------------------------|--|
| 41 | 4220260200600 | DISPOSABLE KITS (FOR LUNG VENTILATION SCAN) SHORT TUBE  | Dar Al-Zahrawi Medical Company -Orig-           | BIODEX                               | Convenience Kit, Venti-Scan IV (30.5 cm) |
| 42 | 4220260211500 | SESTAMIBI KITS (FOR LABELING WITH 99MTC FOR CARDIAC BREAST AND PARATHYROID IMAGING) VIAL MAXIMUM ACTIVITY NOT LESS THAN 150 MCI                                     | International Radiation Technology - IRT -Orig- | MEDI-RADIOPHARMA LTD.                | Medi-MIBI                                |
| 43 | 4111621000100 | FLUID, BREATH COLLECTION, UREA BREATH TEST, PYTEST  | No Quotation                                    |                                      |  |
| 44 | 4220260207600 | MEDRONATE II (MDP) BONE (FOR LABELLING WITH 99 MTC FOR BONE IMAGING) VIAL (SHELF LIFE MINIMUM 8 HOURS)  | Modawina Medical Trading Est. -Orig-            | CURIUM                               | MDP Kit                                  |
| 44 | 4220260207600 | MEDRONATE II (MDP) BONE (FOR LABELLING WITH 99 MTC FOR BONE IMAGING) VIAL (SHELF LIFE MINIMUM 8 HOURS)  | Dar Al-Zahrawi Medical Company -Orig-           | POLATOM                              | PoltechMDP 6vials/kit                    |
| 45 | 4111621000200 | UREA BREATH TEST KIT FOR DETECTION OF HELICOBACTER PYLORI BY USING CARBON 13 NON-RADIOACTIVE ISOTOPE. THE PACKAGE INCLUDES ONE CAPSULE OR POWDER AND BREATHING BAGS | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | HEADWAY CHINA                        | urea breath test kit using C-13 package  |
| 46 | 4220260211600 | PATIENT LINE AND CARBON KITS COMPATIBLE WITH TECHNIQUES WITH TECHNEGAS MACHINE (INCLUDING PATIENT HOSE)   | International Radiation Technology - IRT -Orig- | CYCLOMEDICA, AUSTRALIA               | PATIENT ADMINISTRATION SET (PAS)         |
| 47 | 4229511902200 | KRYPTON 81 GENERATOR (GEN-10) EXPIRATION 8 HOURS POST CALIBRATION   | Abdulla Fouad for medical supplies -Orig-       | KFSH&RC                              | krypton 81 Generator                     |
| 48 | 4220260211700 | 123 I-SODIUM IODIDE SOLUTION (FOR THYROID GLAND IMAGING) DIAGNOSTIC DOSE 25 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) SAME DAY            | Abdulla Fouad for medical supplies -Orig-       | KFSH&RC                              | I-123 sodium iodide solution (t          |
| 49 | 4220260211800 | F18-NON HUMAN USE 25 MCI EXPIRATION 12 HOURS POST CALIBRATION   | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | KING FAISAL SPECIALIST HOSPITAL & RC | F18- NON human use 25mci expiration 12 H |
| 50 | 4220260211900 | F18 FL-DOPA 8 MCI EXPIRATION 4 HOURS POST CALIBRATION   | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | KING FAISAL SPECIALIST HOSPITAL & RC | F18 FL- DOPA 8mci expiration 4 H post ca |
| 51 | 4220260212000 | F18 FL-CHOLINE 8 MCI EXPIRATION 10 HOURS POST CALIBRATION   | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | KING FAISAL SPECIALIST HOSPITAL & RC | F18 FL - Choline 8mci expiration 8H post |

| SN | NUPCO CODE    | ITEM SPECIFICATION  | VENDOR NAME                                     | MANUFACTURER                         | TRADE DESCRIPTION                        |
|----|---------------|---|---|--------------------------------------|--|
| 52 | 4220260212100 | F18 NAF SODIUM FLUORIDE   | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | KING FAISAL SPECIALIST HOSPITAL & RC | F18 NAF Sodium Fluoride                  |
| 53 | 4220260212200 | SODIUM IODIDE (I-124) ORAL SOLUTION 2.5 MCI   | No Quotation                                    |                                      |  |
| 54 | 4220260212300 | SODIUM IODIDE (I-124) CAPSULE 100 MCI   | No Quotation                                    |                                      |  |
| 55 | 4220260212400 | GA-68 PSMA 11 FOR PROSTAT CANCER 5 MCI EXPIRATION 4 HOURS POST CALIBRATION  | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | KING FAISAL SPECIALIST HOSPITAL & RC | Ga-68 PSMA 11 for porostat Cancer 5mci e |
| 56 | 4220260212500 | GA-68 PSMA 617 FOR PROSTAT CANCER 5 MCI EXPIRATION 4 HOURS POST CALIBRATION   | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | KING FAISAL SPECIALIST HOSPITAL & RC | Ga-68 PSMA 617 for porostat Cancer 5mci  |
| 57 | 4220260212600 | GA-68 DOTA PEPTIDE FOR ENDOCRINE TUMOR 5 MCI EXPIRATION 4 HOURS POST CALIBRATION  | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | KING FAISAL SPECIALIST HOSPITAL & RC | Ga-68 DOTA PEPTIDE for ENDOCRINE Tumer   |
| 58 | 4220260212700 | CASSETTE FOR GA-68 PSMA SYNTHESSES AND ALL REAGENTS   | International Radiation Technology - IRT -Orig- | ECKERT & ZIEGLER RADIOPHARMA GMBH    | Modular Lab Easy                         |
| 58 | 4220260212700 | CASSETTE FOR GA-68 PSMA SYNTHESSES AND ALL REAGENTS   | Dar Al-Zahrawi Medical Company -Orig-           | ITG                                  | iiQS-TS Ga68 Consumbale Box PSMA-HBED    |
| 59 | 4220260000100 | PATIENT ADMINISTRATION SET (PAS) COMPATIBLE WITH KARL 100 TEMA PET INFUSION SYSTEM  | Dar Al-Zahrawi Medical Company -Orig-           | TEMA                                 | RAD-INJECT Syringe Kit - Patient infusi  |
| 60 | 4220260000200 | SOURCE ADMINISTRATION SET (PAS) COMPATIBLE WITH KARL 100 TEMA INFUSION SYSTEM   | Dar Al-Zahrawi Medical Company -Orig-           | TEMA                                 | -KARI -100 - Disposable set for injector |
| 61 | 4220260205700 | DROP SENSITIVE PH INDICATORS 1 – 14 (COLD)  | No Quotation                                    |                                      |  |
| 62 | 4220260207000 | ISOLATOR GLOVES LEMAR PAX   | International Radiation Technology - IRT -Orig- | LEMER PAX                            | ISOLATOR GLOVES                          |
| 63 | 4220260212800 | CR-51-CHLORIDE FOR RED CELL MASS 1 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 1 DAY LATER | No Quotation                                    |                                      |  |
| 64 | 4220180005100 | GLOVES RADIATION ATTENUATION POWDER FREE  | KHALIJI MEDICARE EST -Orig-                     | BIODEX                               | RADIATION ATTENUATING GLOVES             |
| 65 | 4220410100000 | PET SYRINGE SHIELD 5CC  | Abdulla Fouad for medical supplies -Orig-       | Biodex                               | Pro Tec PET SYRINGE SHIELD 5CC           |
| 66 | 4220410100100 | PET SYRINGE SHIELD 10CC   | Abdulla Fouad for medical supplies -Orig-       | Biodex                               | Pro Tec PET SYRINGE SHIELD 10 CC         |
| 67 | 4220410100200 | TECHNETIUM SYRINGE SHIELD 1CC   | Abdulla Fouad for medical supplies -Orig-       | Biodex                               | PRO TEC III Technetium Syringe S         |

| SN | NUPCO CODE    | ITEM SPECIFICATION                                       | VENDOR NAME                                     | MANUFACTURER                      | TRADE DESCRIPTION                         |
|----|---------------|--|---|-----------------------------------|---|
| 68 | 4220410100300 | TECHNETIUM SYRINGE SHIELD 3 CC                           | Abdulla Fouad for medical supplies -Orig-       | Biodex                            | PRO TEC III Technetium Syringe S          |
| 69 | 4220410100400 | TECHNETIUM SYRINGE SHIELD 5CC                            | Abdulla Fouad for medical supplies -Orig-       | Biodex                            | PRO TEC III Technetium Syringe S          |
| 70 | 4220410100500 | TECHNETIUM SYRINGE SHIELD 10CC                           | Abdulla Fouad for medical supplies -Orig-       | Biodex                            | PRO TEC III Technetium Syringe S          |
| 71 | 4220410100600 | TUNGSTEN VIAL SHIELD WITH MAGNETIC CAP                   | Dar Al-Zahrawi Medical Company -Orig-           | BIODEX                            | Vial Shield, Magnetic Cap, with glass     |
| 72 | 4229180000300 | SURGICAL FORCEPS   | KHALIJI MEDICARE EST -Orig-                     | BIODEX                            | Forceps, Curved, locking, 9.5"            |
| 73 | 4214230102400 | COLOR-CODED LABELS                                       | Abdulla Fouad for medical supplies -Orig-       | Biodex                            | COLOR-CODED LABELS                        |
| 74 | 4220401700000 | VIAL/SYRINGE DIPPER COMPATIBLE WITH DOSE CALIBRATOR      | Isotopes Trading Compant -Orig-                 | BIODEX MEDICAL SYSTEMS, INC.      | VIAL/SYRINGE DIPPER                       |
| 75 | 4017530500000 | WELL INSERT COMPATIBLE WITH DOSE CALIBRATOR              | Isotopes Trading Compant -Orig-                 | BIODEX MEDICAL SYSTEMS, INC.      | WELL INSERT                               |
| 76 | 4220400300000 | 99 MO BREAK THROUGH CANISTER                             | KHALIJI MEDICARE EST -Orig-                     | BIODEX                            | MOLY ASSAY SHIELD Vial, .3" lead          |
| 77 | 4220260212900 | TILMANOCEPT 50 MICRO GRAM (FOR LABELING WITH 99 TC) VIAL | No Quotation                                    |                                   |   |
| 78 | 4220260213000 | PSMA-11 (FOR LABELING WITH 99 TC) VIAL                   | Dar Al-Zahrawi Medical Company -Orig-           | POLATOM                           | PSMA-T4 kit for Tc-99m labelling          |
| 79 | 4220260213100 | DPD (FOR LABELING WITH 99 TC) VIAL                       | No Quotation                                    |                                   |   |
| 80 | 4220260213200 | CASSETTE FOR 177-LU DOTATATE SYNTHESSES AND ALL REAGENTS | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | ITG GERMANY                       | CASSETTE for Lu-177 DOTATATE synthses and |
| 80 | 4220260213200 | CASSETTE FOR 177-LU DOTATATE SYNTHESSES AND ALL REAGENTS | International Radiation Technology - IRT -Orig- | ECKERT & ZIEGLER RADIOPHARMA GMBH | Modular Lab Easy                          |
| 80 | 4220260213200 | CASSETTE FOR 177-LU DOTATATE SYNTHESSES AND ALL REAGENTS | Isotopes Trading Compant -Orig-                 | TRASIS COMPANY                    | LU-177 CASTTE                             |
| 81 | 4220260213300 | CASSETTE FOR 177-LU PSMA SYNTHESSES AND ALL REAGENTS     | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | ITG GERMANY                       | CASSETTE for Lu-177 PSMA synthses and al  |
| 81 | 4220260213300 | CASSETTE FOR 177-LU PSMA SYNTHESSES AND ALL REAGENTS     | International Radiation Technology - IRT -Orig- | ECKERT & ZIEGLER RADIOPHARMA GMBH | Modular Lab Easy                          |
| 81 | 4220260213300 | CASSETTE FOR 177-LU PSMA SYNTHESSES AND ALL REAGENTS     | Isotopes Trading Compant -Orig-                 | TRASIS COMPANY                    | LU-177 CASTTE, PSMA                       |
| 82 | 4220260213400 | 18-F FLT 12 MCI  | No Quotation                                    |                                   |   |
| 83 | 4220260213500 | 18-F FLORBETAPIR 12 MCI                                  | No Quotation                                    |                                   |   |
| 84 | 4220260213600 | 18-F RACLOPRIDE 12 MCI                                   | No Quotation                                    |                                   |   |



| SN | NUPCO CODE    | ITEM SPECIFICATION  | VENDOR NAME                                  | MANUFACTURER                           | TRADE DESCRIPTION                        |
|----|---------------|---|--|--|--|
| 85 | 4220260213700 | 131 I MIBG THERAPY DOSE 150 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER   | Abdulla Fouad for medical supplies -Orig-    | KFSH&RC                                | I-131 MIBG therapy dose 150mci           |
| 85 | 4220260213700 | 131 I MIBG THERAPY DOSE 150 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER   | Dar Al-Zahrawi Medical Company -Orig-        | POLATOM                                | 131 I MIBG THERAPY DOSE 150mCi           |
| 86 | 4220260213800 | 57CO POINT SOURCE USED FOR AUTOMATED QC AND CALIBRATION OF SPECT-CT 0.05 MCI (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)  | Isotopes Trading Compant -Orig-              | ECKERT & ZIEGLER ISOTOPE PRODUCTS GMBH | Co-57 point source, 1,85 MBq for Siemens |
| 87 | 4220260213900 | 68GE CYLINDRICAL PHANTOM USED FOR QC AND CALIBRATION OF PET-CT 2.4 MCI  | Isotopes Trading Compant -Orig-              | SANDERS MEDICAL COMPANY                | GE-68 PHANTOM 2.4 MCI                    |
| 87 | 4220260213900 | 68GE CYLINDRICAL PHANTOM USED FOR QC AND CALIBRATION OF PET-CT 2.4 MCI  | Abdulla Fouad for medical supplies -Orig-    | Eckert & Ziegler Isotopes              | Ge-68 phantom, 81,4 MBq for Siem         |
| 88 | 4220260214000 | 68GE ROD SOURCE USED FOR QC AND CALIBRATION OF PET-CT 1.2 MCI EACH 1 ITEM=2 RODS  | Isotopes Trading Compant -Orig-              | SANDERS MEDICAL COMPANY                | GE-68 ROD SOURCE                         |
| 88 | 4220260214000 | 68GE ROD SOURCE USED FOR QC AND CALIBRATION OF PET-CT 1.2 MCI EACH 1 ITEM=2 RODS  | Modawina Medical Trading Est. -Orig-         | ECKERT & ZIEGLER ISOTOPE PRODUCTS GMBH | Ge-68 line source, 44 MBq, for Siemens E |
| 89 | 4220260214100 | HCL FOR 68GA SYNTHESSES   | Dar Al-Zahrawi Medical Company -Orig-        | ITG                                    | HCL FOR 68GA SYNTHESSES                  |
| 90 | 5121250301000 | "CONTRAST MEDIUM (CM) IODINE-BASED LOW OSMOLALITY, WATER SOLUBLE NON- IONIC CONTAST MEDIUM FOR (IOXILAN , OR IOVERSOL OR IOPAMIDOL ) I V&#amp;1A INJEC TION AND FOR BODY CAVITIES, ALSO SUITABLE FOR PEDIATRIC ,CONCENTRATION 300MG IODINE ML,50ML/VIALS" | Saudi Arabian Drug Store Company LTD - Orig- | GE HEALTH CARE                         | omnipaque 300mg/ml 50ml                  |
| 90 | 5121250301000 | "CONTRAST MEDIUM (CM) IODINE-BASED LOW OSMOLALITY, WATER SOLUBLE NON- IONIC CONTAST MEDIUM FOR (IOXILAN , OR IOVERSOL OR IOPAMIDOL ) I V&#amp;1A INJEC TION AND FOR BODY CAVITIES, ALSO SUITABLE FOR PEDIATRIC ,CONCENTRATION 300MG IODINE ML,50ML/VIALS" | AL KAMAL IMPORT OFFICE CO.,LTD. -Orig-       | Bayer AG                               | Ultravist-300 50 ml bottle               |

| SN | NUPCO CODE    | ITEM SPECIFICATION   | VENDOR NAME                                  | MANUFACTURER   | TRADE DESCRIPTION        |
|----|---------------|--|--|----------------|--------------------------|
| 90 | 5121250301000 | "CONTRAST MEDIUM (CM) IODINE-BASED LOW OSMOLALITY, WATER SOLUBLE NON- IONIC CONTRAST MEDIUM FOR (IOXILAN , OR IOVERSOL OR IOPAMIDOL ) I V&#amp;1A INJEC TION AND FOR BODY CAVITIES, ALSO SUITABLE FOR PEDIATRIC ,CONCENTRATION 300MG IODINE ML,50ML/VIALS" | Farouk Maamon Tamer & Company -Orig-         | GUERBET        | XENETIX 300/50           |
| 91 | 5121250302100 | CONTRAST MEDIUM IODINE-BASED ISOOSMOLAR WATER SOLUBLE NON-IONIC CONTRAST MEDIUM FOR IV AND IA INJECTION CONCENTRATION 320MG IODINE/M L 50ML  | Saudi Arabian Drug Store Company LTD - Orig- | GE HEALTH CARE | visipaque 320mg/ml 50ml  |
| 92 | 5121250302000 | RADIOLOGY NON-IONIC IODINE CONTRAST MEDIUM 320 MG/ML ISOOSMOLAR 100ML VIAL   | Saudi Arabian Drug Store Company LTD - Orig- | GE HEALTH CARE | visipaque 320mg/ml 100ml |
| 93 | 5144000000000 | CONTRAST MEDIUM BARIUM-BASED, BARIUM SULFATE SUSPENSION FOR COMPUTED TOMOGRAPHY OF GASTROINTESTINAL TRACT 450 ML BARIUM SULFATE SUSPE NSION 0.1% W/V   | No Quotation                                 |                |                          |
| 94 | 5121250300800 | CONTRAST MEDIUM IODINE-BASED WATER SOLUBLE CONTRAST MEDIUM WITH FLAVORING FOR G.I.T EXAMINATION 300MG I/ML AND CT SCAN (ORAL) 100ML /BOTTLE.   | Farouk Maamon Tamer & Company -Orig-         | GUERBET        | TELEBRIX GASTRO          |
| 95 | 5121250302600 | MRI CONTRAST MEDIUM MACROCYCLIC NON IONIC GADOLINIUM-BASED WATER SOLUBLE CONTRAST MEDIUM FOR INJECTION,CONCENTRATION (0.5-1 MMOL/ML) 20ML VIAL   | Cancelled                                    |                |                          |
| 96 | 5144000000100 | MRI CONTRAST MEDIUM MACROCYCLIC NON IONIC GADOLINIUM-BASED WATER SOLUBLE CONTRAST MEDIUM FOR INJECTION CONCENTRATION 1MMOL/ML 15ML/V IAL   | AL KAMAL IMPORT OFFICE CO.,LTD. -Orig-       | Bayer AG       | Gadovist 15 ml Vial      |
| 97 | 5121250301600 | MRI CONTRAST MEDIUM GADOLINIUM-BASED WATER SOLUBLE CONTAIN GADOXETIC ACID DISODIUM FOR HEPATOBILIARY IMAGING FOR IV INJECTION 0.25 M ML/ML 10ML SYRINGE  | AL KAMAL IMPORT OFFICE CO.,LTD. -Orig-       | Bayer AG       | Primovist 10ml PFS       |

| SN  | NUPCO CODE    | ITEM SPECIFICATION  | VENDOR NAME  | MANUFACTURER                 | TRADE DESCRIPTION                     |
|-----|---------------|---|--|------------------------------|---------------------------------------|
| 98  | 5121250300700 | CONTRAST MEDIUM (CM)<br>GADOLINIUM-BASED WATER<br>SOLUBLE CONTRAST MEDIUM FOR<br>IV INJECTION CONCENTRATION<br>0.5M MOL/ML 20ML/VIAL  | Cancelled  |                              |                                       |
| 99  | 4220260203300 | (N-(3-BROMO-246-<br>TRIMETHYLPHENYL CARBAMOYL)<br>METHYLIMINODIACETIC ACID<br>(MEBROFENIN)) FOR LABELLING<br>WITH 99MTC TO EVALUATE<br>HEPATOBIILIARY IMAGING<br>5VIAL/KIT        | International Radiation<br>Technology - IRT -Orig- | MEDI-<br>RADIOPHARMA<br>LTD. | Bromo-Biliron                         |
| 100 | 4220260203500 | 111IN- OCTREOTIDE (FOR<br>NEUROENDOCRINE TUMORS<br>IMAGING ) 5-6 MCI (CALIBRATION<br>SHOULD BE SPECIFIED ACCORDING<br>TO THE DELIVERY DAY) AT LE AST<br>ONE DAY LATER             | No Quotation                                       |                              |                                       |
| 101 | 4220260200100 | 111IN-CAPROMAB PENDETIDE<br>(FOR PROSTA CANCER IMAGING) 5-<br>6 MCI   | No Quotation                                       |                              |                                       |
| 102 | 4220260203600 | 123 I- MIBG (FOR ADRENAL GLAND<br>IMAGING) 5 MCI (CALIBRATION<br>SHOULD BE SPECIFIED ACCORDING<br>TO THE DELIVERY DAY) SAME DAY   | Abdulla Fouad for<br>medical supplies -Orig-       | KFSH&RC                      | I-123MIBG ( ADRENAL<br>GLAND imagin   |
| 103 | 4220260201800 | 123 I- IMOAZENIL (FOR BRAIN<br>SCHIZOPHRENIA SCANNING) 6MCI<br>DIAGNOSTIC DOSE (CALIBRATION<br>SHOULD BE SPECIFIED ACCORDING<br>TO THE DELIVERY DAY) AT LEAST<br>ONE DAY LATER    | No Quotation                                       |                              |                                       |
| 104 | 4220260201700 | 123 I OR 131 I NORCHOLESTEROL<br>(FOR ADRENAL SCANNING) 1 MCI<br>DIAGNOSTIC DOSE (CALIBRATION<br>SHOULD BE SPECIFIED ACCORDING<br>TO THE DELIVER Y DAY) AT LEAST<br>ONE DAY LATER | No Quotation                                       |                              |                                       |
| 105 | 4220260202600 | 123 I -SODIUM IODIDE (FOR<br>THYROID GLAND IMAGING)<br>CAPSULE/VIAL 400 UCI<br>(CALIBRATION SHOULD BE<br>SPECIFIED ACCORDING TO THE<br>DELIVERY DA Y) SAME DAY                    | Abdulla Fouad for<br>medical supplies -Orig-       | KFSH&RC                      | I-123 sodium<br>iodide capsule ( t    |
| 106 | 4220260201900 | 123I -DAT SCANS (FOR<br>PARKINSONS DISEASE IMAGING) 5<br>MCI (CALIBRATION SHOULD BE<br>SPECIFIED ACCORDING TO THE<br>DELIVERY DAY) SAME DAY                                       | Abdulla Fouad for<br>medical supplies -Orig-       | GE HEALTHCARE                | DaTscan™<br>Ioflupane I 123<br>Inject |

| SN  | NUPCO CODE    | ITEM SPECIFICATION  | VENDOR NAME                               | MANUFACTURER | TRADE DESCRIPTION                      |
|-----|---------------|---|---|--------------|--|
| 107 | 4220260202900 | 131 I- SODIUM IODIDE (FOR THYROID THERAPY) SOLUTION 50MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER         | Dar Al-Zahrawi Medical Company -Orig-     | POLATOM      | Sodium Iodide Na 131 injection 50mCi   |
| 107 | 4220260202900 | 131 I- SODIUM IODIDE (FOR THYROID THERAPY) SOLUTION 50MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER         | Abdulla Fouad for medical supplies -Orig- | KFSH&RC      | I-131 sodium iodode ( thyroid th       |
| 108 | 4220260203900 | 131 I -SODIUM IODIDE (FOR THYROID SCAN) CAPSULES 2.5 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER          | Dar Al-Zahrawi Medical Company -Orig-     | POLATOM      | Sodium Iodide Na131 CAP 2.5mCi         |
| 108 | 4220260203900 | 131 I -SODIUM IODIDE (FOR THYROID SCAN) CAPSULES 2.5 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER          | Abdulla Fouad for medical supplies -Orig- | KFSH&RC      | I-131 sodium iodode ( thyroid sc       |
| 109 | 4220260204000 | 131 I-MIBG (FOR ADRENAL IMAGING) DIAGNOSTIC DOSE 2.5 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER          | Abdulla Fouad for medical supplies -Orig- | KFSH&RC      | I-131 miBG ( adrenal imaging ) d       |
| 109 | 4220260204000 | 131 I-MIBG (FOR ADRENAL IMAGING) DIAGNOSTIC DOSE 2.5 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER          | Dar Al-Zahrawi Medical Company -Orig-     | POLATOM      | Meta-Iodobenzylguanine131I (MIBG-131I) |
| 110 | 4220260204100 | 131 I-MIBG (FOR ADRENAL IMAGING) DIAGNOSTIC DOSE 5 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER            | Dar Al-Zahrawi Medical Company -Orig-     | POLATOM      | Meta-Iodobenzylguanine131I (MIBG-131I) |
| 111 | 4220260203000 | 131 I-MIBG THERAPY DOSE (FOR NEUROENDOCRINE TUMOR THERAPY) 50 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER | Abdulla Fouad for medical supplies -Orig- | KFSH&RC      | I-131 miBG (adrenal imaging ) d        |

| SN  | NUPCO CODE    | ITEM SPECIFICATION   | VENDOR NAME                                | MANUFACTURER                             | TRADE DESCRIPTION                      |
|-----|---------------|--|--|--|--|
| 112 | 4220260204200 | 131 I-SODIUM IODIDE (FOR THYROID SCAN) CAPSULES 5.0 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER  | Dar Al-Zahrawi Medical Company -Orig-      | POLATOM                                  | Sodium Iodide Na131 CAP 5mCi           |
| 113 | 4220260204400 | 131 I-SODIUM IODIDE (FOR THYROID GLAND THERAPY) CAPSULE 30MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER  | Dar Al-Zahrawi Medical Company -Orig-      | POLATOM                                  | Sodium Iodide Na131 CAP 30mCi          |
| 114 | 4220260204500 | 131 I-SODIUM IODIDE (FOR THYROID GLAND THERAPY) CAPSULE 12 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER                                       | Dar Al-Zahrawi Medical Company -Orig-      | POLATOM                                  | Sodium Iodide Na131 CAP 12mCi          |
| 115 | 4220260201100 | 133 BARIUM REFERENCE SOURCE (FOR DOSE CALIBRATOR QC) 250 UCI (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)   | Modawina Medical Trading Est. -Orig-       | ECKERT & ZIEGLER ISOTOPE PRODUCTS GMBH   | Ba-133, 9,25 MBq                       |
| 116 | 4220260201300 | 137 CAESIUM REFERENCE SOURCE 250 UCI (FOR DOSE CALIBRATION QC) (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)   | Modawina Medical Trading Est. -Orig-       | ECKERT & ZIEGLER ISOTOPE PRODUCTS GMBH   | Cs-137, 9,25 MBq                       |
| 117 | 4220260200300 | 153SM- SAMARIUM (FOR BONE PAIN PALLIATION THERAPY IN SKELETAL METASTASES ), 1 MCI/KG TOTAL 40-70 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 2 DAYS LATER | Isotopes Trading Compant -Orig-            | INSTITUTE OF ISOTOPES CO., LTD. (IZOTOP) | 153SM SAMARIUM 1 MCI/KG 40-70 MCI      |
| 118 | 4220260201000 | 177 LU-DOTATOC 200 MCI (FOR NEUROENDOCRINE TUMOR THERAPY) CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY AT LEAST ONE DAY LATER   | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig- | KING FAISAL SPECIALIST HOSPITAL & RC     | Lu-177 DOTATOC 200mci ( for neuroendri |
| 119 | 4220260201600 | 186 -RHENIUM (FOR BONE PALLIATION THERAPY) 5 MCI DOSE (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST ONE DAY LATER   | Dar Al-Zahrawi Medical Company -Orig-      | POLATOM                                  | Sr-89 Strontium chloride               |

| SN  | NUPCO CODE    | ITEM SPECIFICATION   | VENDOR NAME                                     | MANUFACTURER                           | TRADE DESCRIPTION                       |
|-----|---------------|--|---|--|---|
| 120 | 4220260204600 | 201TL-THALLIUM FOR CARDIAC IMAGING 5 MCI (SOLUTION) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 1 DAY LATER   | Abdulla Fouad for medical supplies -Orig-       | KFSH&RC                                | TI-201 for cardiac imaging 5mci         |
| 121 | 4220260202300 | 32P- PHOSPHORUS (FOR TREATMENT) 5 MCI (SOLUTION) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 2 DAYS LATER   | No Quotation                                    |  |   |
| 122 | 4220260202200 | 57 CO- COBALT POINT MARKER (FOR ANATOMICAL LOCALIZATION) 100 UCI (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)   | Abdulla Fouad for medical supplies -Orig-       | Eckert & Ziegler Isotopes              | CO-57 POINT MARKER SOURCE, 100uCi       |
| 123 | 4220260201200 | 57 CO FLOOD SOURCES (FOR GAMMA CAMERA CALIBRATION) 10-15 MCI (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY) DIMENSIONS ACCORDING TO THE END USER WITH SHIELDING TROLLEY | Dar Al-Zahrawi Medical Company -Orig-           | ECKERT&ZEIGLER                         | Co-57 Flood Source w/ProKase lead lined |
| 124 | 4220260201400 | 57 CO REFERENCE SOURCES (FOR DOSE CALIBRATION QC) 5 MCI (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)  | Isotopes Trading Compant -Orig-                 | ECKERT & ZIEGLER ISOTOPE PRODUCTS GMBH | Co-57, 185 MBq                          |
| 125 | 4220260201500 | 60 CO REFERENCE SOURCES (FOR DOSE CALIBRATION QC) 50 UCI (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)   | Isotopes Trading Compant -Orig-                 | ECKERT & ZIEGLER ISOTOPE PRODUCTS GMBH | Co-60, 1,85 MBq                         |
| 126 | 4220260204700 | 67 GA-GALLIUM 5MCI (SOLUTION) (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER  | Abdulla Fouad for medical supplies -Orig-       | KFSH&RC                                | Ga-67 / 5mci delivery at least 3        |
| 127 | 4220260214900 | 68 GA-GENERATOR 50 MCI METALLIC COLUMN (FOR PET/CT) (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)  | International Radiation Technology - IRT -Orig- | ECKERT & ZIEGLER RADIOPHARMA GMBH      | GalliaPharm                             |

| SN  | NUPCO CODE    | ITEM SPECIFICATION  | VENDOR NAME                                     | MANUFACTURER                 | TRADE DESCRIPTION                   |
|-----|---------------|---|---|------------------------------|-------------------------------------|
| 128 | 4220260204900 | 82 RB-GENERATOR 100 MCI (FOR PET/CT) INFUSION SYSTEM COMPATIBLE (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)   | International Radiation Technology - IRT -Orig- | BRACCO DAIGNOSTICS INC., USA | CARDIOGEN-82                        |
| 129 | 4220260203200 | 89 SR-STRENTIUM 4MCI (THERAPEUTIC) FOR BONE PALLIATION (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 2 D AYS LATER                           | Dar Al-Zahrawi Medical Company -Orig-           | POLATOM                      | Sr-89 Strontium chloride 150MBq     |
| 130 | 4220260200900 | 90 YTTRIUM CHLORIDE (FOR SYNOVECTOMY) 6 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER                                       | Modawina Medical Trading Est. -Orig-            | CURIUM                       | 90 YTTRIUM SYNOVECTOMY 6MCI         |
| 131 | 4220260202000 | 90 YTTRIUM -IBRITUMAB TIUXETAN 30 MCI (FOR NHL TREATMENT) DOSE ACCORDING TO ORDER (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER | No Quotation                                    |                              |                                     |
| 132 | 4220260200800 | 90 YTTRIUM MICROSPHERE EMBEDDED IN GLASS MATRIX 5-20 GBQ (FOR LIVER TUMOR THERAPY)  | Arabian Trade House - Orig-                     | BTG                          | 1009xxxx                            |
| 133 | 4220260205000 | 99M TC-TECHNETIUM 99M STERILE GENERATOR (400MCI) CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY  | Modawina Medical Trading Est. -Orig-            | CURIUM                       | Tc-99m Generator 400 MCI            |
| 134 | 4220260205100 | 99M TC- TECHNETIUM 99M STERILE GENERATOR (600 MCI) WITH MINIMUM 10 ELUTION VIALS (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER  | Modawina Medical Trading Est. -Orig-            | CURIUM                       | Tc-99m Generator 600 MCI            |
| 135 | 4220260205200 | 99MTC-TECHNETIUM 99M STERILE GENERATOR (270MCI) CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY   | Modawina Medical Trading Est. -Orig-            | CURIUM                       | Tc-99m Generator 270 MCI            |
| 136 | 4220260205300 | 99MTC-TECHNETIUM 99M STERILE GENERATOR 20 GBQ (540 MCI) ±5% CALIBRATION SHOULD BE SPECIFIED AT LEAST AFTER THREE DAYS FROM THE DELIV ERY DAY                            | Dar Al-Zahrawi Medical Company -Orig-           | POLATOM                      | poltechnet 20 GBq Tc-99m Generator  |
| 137 | 4220260205600 | CHROMATOGRAPHY MOBILE PHASES (SOLVENTS) (COLD)  | Isotopes Trading Compant -Orig-                 | BIODEX MEDICAL SYSTEMS, INC. | TEC-CONTROL SOLVENT, 20% NaCl, 30ml |

| SN  | NUPCO CODE    | ITEM SPECIFICATION   | VENDOR NAME                               | MANUFACTURER                 | TRADE DESCRIPTION                |
|-----|---------------|--|---|------------------------------|----------------------------------|
| 138 | 4220260214800 | DISPOSABLE KITS (FOR LUNG VENTILATION AEROSOL SCAN) LONG TUBE TUBE   | Isotopes Trading Compant -Orig-           | BIODEX MEDICAL SYSTEMS, INC. | KIT, VENTI CNVC, W/24" TUBING    |
| 139 | 4220260100300 | DMSA KITS (FOR LABELLING WITH 99MTC FOR RENAL CORTICAL IMAGING) 5 VIAL/KIT SHELF LIFE AT LEAST 6 HOURS   | Abdulla Fouad for medical supplies -Orig- | Izotop                       | DMSA kit , powder for injection  |
| 140 | 4220260215000 | DROP STRIP SENSITIVE PH INDICATORS (1– 14)   | No Quotation                              |                              |                                  |
| 141 | 4220260205800 | DTPA KITS (FOR LABELLING WITH 99M TC FOR RENAL FUNCTION IMAGING) 5VIAL/KIT SHELF LIFE AT LEAST 8 HOURS   | Modawina Medical Trading Est. -Orig-      | CURIUM                       | DTPA                             |
| 142 | 4220260206000 | HDP KITS (FOR LABELLING WITH 99 MTC FOR BONE SCAN IMAGING) 5 VIAL/KIT  | Modawina Medical Trading Est. -Orig-      | CURIUM                       | HDP                              |
| 143 | 4220260206100 | HIDA KIT (FOR LABELLING WITH 99MTCTO EVALUATE HEPATO-BILIARY KINETICS) 5VIAL/KIT   | Dar Al-Zahrawi Medical Company -Orig-     | POLATOM                      | PoltechMBriDA 6 vials/kit        |
| 144 | 4220260206200 | HMPAO KIT (FOR LABELLING WITH 99 MTC FOR CEREBRAL BLOOD FLOW STUDY (5VIAL/KIT).  | Dar Al-Zahrawi Medical Company -Orig-     | ROTOP                        | HMPAO Neuroscan 5 / kit          |
| 145 | 4220260206300 | HSA KITS (FOR LABELLING WITH 99MTC FOR PROTEIN LOSING ENTEROPATHY IMAGING) 5 VIAL/KIT  | Modawina Medical Trading Est. -Orig-      | CURIUM                       | VASCULOCIS                       |
| 146 | 4220260206400 | I-131 SODIUM IODIDE (FOR THYROID GLAND THERAPY) CAPSULES 50 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT L EAST 3 DAYS LATER | Abdulla Fouad for medical supplies -Orig- | KFSH&RC                      | I-131 sodium iodode(thyroid Glan |
| 147 | 4220260202800 | I 131- SODIUM IODIDE (FOR THYROID GLAND IMAGING) CAPSULE 100 UCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER | Abdulla Fouad for medical supplies -Orig- | KFSH&RC                      | I-131 sodium iodode (thyroid Gla |
| 148 | 4220260206700 | I-131-SODIUM IODIDE (FOR THYROID GLAND THERAPY) CAPSULES 10 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT L EAST 3 DAYS LATER | Abdulla Fouad for medical supplies -Orig- | KFSH&RC                      | I-131 sodium iodode ( thyroid GI |



| SN  | NUPCO CODE    | ITEM SPECIFICATION   | VENDOR NAME                                     | MANUFACTURER              | TRADE DESCRIPTION                   |
|-----|---------------|--|---|---------------------------|-------------------------------------|
| 149 | 4220260206800 | I -131 SODIUM IODIDE (FOR THYROID GLAND THERAPY) CAPSULE 100 MCI (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER | Abdulla Fouad for medical supplies -Orig-       | KFSH&RC                   | I-131 sodium iodode ( thyroid GI    |
| 150 | 4220260206900 | IODINE 125 (I-125) SEED LOCALIZATION FOR NONPALPABLE BREAST LESIONS 4.6 MBQ (AROUND 125 µCi)   | Dar Al-Zahrawi Medical Company -Orig-           | ISOAID                    | Breast Localization I 125 seeds     |
| 151 | 4220260207100 | LEUKOKIT FOR AUTOLOGOUS WBC LABELLING (INCLUDING SET OF DISPOSABLE ITEMS AND REAGENT)  | International Radiation Technology - IRT -Orig- | MEDI-RADIOPHARMA LTD.     | Leuco-Scint                         |
| 152 | 4220260207300 | MAA KITS (FOR LABELLING WITH 99MTC TO EVALUATE LUNG PERFUSION) 5VIAL/KIT SHELF LIFE AT LEAST 6 HOURS   | International Radiation Technology - IRT -Orig- | MEDI-RADIOPHARMA LTD.     | Macro-Albumon                       |
| 153 | 4220260207400 | MAG3 KITS (FOR LABELLING WITH 99MTC TO EVALUATE RENAL EXCRETORY FUNCTION) NON BOIL-5 VIAL/KIT  | Dar Al-Zahrawi Medical Company -Orig-           | ROTOP                     | Nephromag MAG 3 NON BOIL-5 VIAL/KIT |
| 154 | 4220260207500 | MAG3 KITS (FOR LABELLING WITH 99MTC TO EVALUATE RENAL EXCRETORY FUNCTION) 5VIAL/KIT SHELF LIFE AT LEAST 5 HOURS  | International Radiation Technology - IRT -Orig- | MEDI-RADIOPHARMA LTD.     | Renoscint Mag3                      |
| 155 | 4220260215300 | MEDRONATE II (MDP) BONE KIK (FOR LABELLING WITH 99 MTC FOR BONE IMAGING ) VIAL MAXIMUM ACTIVITY NOT LESS THAN 300 MCI 5VIAL/KIT                        | Dar Al-Zahrawi Medical Company -Orig-           | POLATOM                   | PoltechMDP 6 vials/kit              |
| 156 | 4220260200500 | ANTI-GRANULOCYTE MONOCLONAL ANTIBODIES (ANTI-G-MABS) FOR WBC SCAN  | No Quotation                                    |                           |                                     |
| 157 | 4220260202400 | NANOCOLLOID KITS (FOR LABELLING WITH 99 MTC FOR LYMPHOSCINTIGRAPHY IMAGING) (5 VIAL/KIT)   | Dar Al-Zahrawi Medical Company -Orig-           | ROTOP                     | NANOCOLLOID KIT 5 VIAL/KIT          |
| 158 | 4220260200400 | OCTREOTIDE KITS (FOR LABELING WITH 99 MTC FOR NEUROENDOCRINE TUMOR IMAGING) 20 MICROGRAM/VIAL  | Dar Al-Zahrawi Medical Company -Orig-           | POLATOM                   | Tektrotyd 20 µg                     |
| 159 | 4220260207900 | PYP KITS (FOR LABELLING WITH 99 MTC FOR CARDIAC IMAGING) 5VIAL/KIT   | International Radiation Technology - IRT -Orig- | MEDI-RADIOPHARMA LTD.     | Pyroscint                           |
| 160 | 4220260208000 | RADIONUCLIDE GD153 LINE SOURCE FOR CARDIO GAMMA CAMERA CALIBRATION 10 MCI (CALIBRATION SHOULD BE SPECIFIED AT LEAST FOR THE DELIVERY DAY)              | Abdulla Fouad for medical supplies -Orig-       | Eckert & Ziegler Isotopes | Gd-153 line source, 370 MBq, for    |

| SN  | NUPCO CODE    | ITEM SPECIFICATION   | VENDOR NAME                                     | MANUFACTURER          | TRADE DESCRIPTION                        |
|-----|---------------|--|---|-----------------------|--|
| 161 | 4220260208300 | SESTAMIBI KITS (FOR LABELLING WITH 99MTC FOR CARDIAC BREAST AND PARATHYROID IMAGING) 5VIAL/KIT MAXIMUM ACTIVITY NOT LESS THAN 300 MC I | International Radiation Technology - IRT -Orig- | MEDI-RADIOPHARMA LTD. | Medi-MIBI                                |
| 162 | 4220260208500 | SODIUM IODIDE I-131 CAPSULE 25 MCI CALIBRATION (CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE DELIVERY DAY) AT LEAST 3 DAYS LATER   | Dar Al-Zahrawi Medical Company -Orig-           | POLATOM               | Sodium Iodide Na131 CAP 25mci            |
| 163 | 4220260208600 | STANNOUS GLUCEPTATE FOR 99MTC LABELING OF RED BLOOD CELLS (5 VIAL/KIT)   | Cancelled                                       |                       |  |
| 164 | 4220260203100 | SULFUR COLLOID KITS (FOR LABELLING WITH 99MTC FOR HEPATIC AND SPLEEN IMAGING) 5VIAL/KIT  | Dar Al-Zahrawi Medical Company -Orig-           | PHARMALUCENCE         | Technetium Tc 99m Sulfur Colloid Injecti |
| 165 | 4220260209000 | TETROFOSMIN KIT (FOR LABELLING WITH 99MTC FOR MYOCARDIAL PERFUSION IMAGING) 5VIAL/KIT  | Abdulla Fouad for medical supplies -Orig-       | GE HEALTHCARE         | MYOVIEW™ Kit for the Preparation         |
| 166 | 4220260100200 | THYROTROPIN ALPHA (FOR 131-I SCAN WITH OUT STOPPING THE THYROXIN TREATMENT) 2 VIAL/KIT   | Arabian Trade House - Orig-                     | GENZYME EUROPE B.V.   | THYROGEN 0.9 mg/ml powder for solution F |
| 167 | 4220260200700 | TIN COLLOID KITS (FOR LABELLING WITH 99 MTC FOR LIVER AND SPLEEN IMAGING) 5 VIAL/KIT   | Dar Al-Zahrawi Medical Company -Orig-           | POLATOM               | PoltechColloid 6vials/kit                |
| 168 | 4220260209200 | ULTRATAG RBC KITS (FOR 99MTC LABELLING OF RED BLOOD CELLS) 5 VIAL/KIT  | No Quotation                                    |                       |  |
| 169 | 4220260209300 | UREA C-14 CAPSULE (INCLUDING BREATH KIT)   | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | HEADWAY CHINA         | urea C-14 capsule ( include kit )        |
| 170 | 4220260214200 | PSMA-617 REFERENCE STANDARD FOR (177LU) PSMA-617   | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | CMR EUROPE            | PAMA 617 referance standard for ( Lu-177 |
| 171 | 4220260214300 | DOTATOC REFERENCE STANDARD FOR (177LU) DOTATOC   | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | CMR EUROPE            | DOTATOC referance standerd for ( Lu-177) |
| 172 | 4220260214400 | DOTATATE REFERENCE STANDARD FOR (177LU) DOTATATE   | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig-      | CMR EUROPE            | DOTATATE referance standerd for ( Lu-177 |

| SN  | NUPCO CODE    | ITEM SPECIFICATION   | VENDOR NAME                                | MANUFACTURER | TRADE DESCRIPTION                        |
|-----|---------------|--|--|--------------|--|
| 173 | 4220260214500 | PSMA-11 REFERENCE STANDARD FOR (68GA) DOTATATE   | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig- | CMR EUROPE   | PSMA -11 referance standerd for (GA-68 ) |
| 174 | 4220260214600 | DOTATOC REFERENCE STANDARD FOR (68GA) DOTATATE   | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig- | CMR EUROPE   | DOTATOC referance standerd for ( GA-68)  |
| 175 | 4220260214700 | DOTATATE REFERENCE STANDARD FOR (68GA) DOTATATE  | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig- | CMR EUROPE   | DOTATATE referance standerd for ( GA-68) |
| 176 | 5121223990000 | "CONTRAST MEDIUM: EFFERVESCENT GRANULES CO2 PRODUCING GRANULES FOR DOUBLE CONTRAST EXAMINATIONS OF THE STOMACH SODIUM BICARBONATE WITH CITRIC AND/OR TARTARIC ACID UNIT DOSE PLASTIC AMPOULE OR PACKET WITH ANTI-FOAMING AGENT PRODUCING APPROXIMATELY 400 ML CO2"   | No Quotation                               |              |  |
| 177 | 5121250300100 | "CONTRAST MEDIUM (CM)BARIUM-BASED ENEMA KIT W/ BARIUM SULFATE FOR SUSPENSION FOR DOUBLE CONTRAST COLON EXAMINATIONS.650 ML OF LOW VISCOSITY (RAPID FLOW),READY TO USE SUSPENSION OF BARIUM SULFATE DENSITY 100% TO 105% W/V WITH DISPERSING AGENT, PRESERVATIVES AND ANTI-FOAMING AGENT IN A BOTTLE-BAG WITH SCREW CAP FITTINGS, 60 OF 1/2 TUBING WITH CAP ASSEMBLY AND ATTACHED SAFETY END FLEXABLE ENEMA TIP WITH NON-LATEX RETENTION CUFF WITH ANTI-REFLUX VALVE. 1MULTI-PUFF INSUFFLATOR AND 1 AIRLINE EXTENSION." | Cancelled                                  |              |  |
| 178 | 5121250300200 | CONTRAST MEDIUM: BARIUM-BASED CONTRAST MEDIA KIT FOR ENTEROCLYSIS 50% W/V  | Cancelled                                  |              |  |

| SN  | NUPCO CODE    | ITEM SPECIFICATION  | VENDOR NAME                                | MANUFACTURER                         | TRADE DESCRIPTION                        |
|-----|---------------|---|--|--------------------------------------|--|
| 179 | 5121250300400 | "CONTRAST MEDIUM (CM) BARIUM-BASED.BARIUM SULFATE SUSPENSION FOR DOUBLE CONTRAST COLON EXAMINATIONS. 1900 ML BARIUM SULFATE SUSPENSION 105% W/V , HIGH DENSITY, LOW VISCOSITY, BUBBLE-FREE, UNIFORM, NON PRECIPITATING SUSPENSION 1900 ML/GALLON" | Cancelled                                  |                                      |  |
| 180 | 4220260203400 | CHROMATOGRAPHY STRIPS FOR ALL RADIOPHARMACEUTICAL QUALITY CONTROL.  | Abdulla Fouad for medical supplies -Orig-  | Biodex                               | CHROMATOGRAPHY STRIPS FOR ALL RA         |
| 181 | 4220260205400 | ALUMINUM BREAKTHROUGH KIT ( STRIPS AND SOLVENT )  | KHALIJI MEDICARE EST -Orig-                | BIODEX                               | TEC-CONTROL™ ALUMINUM BREAKTHRU KIT      |
| 182 | 4220260202100 | RADIC WASH SPRAY MIST   | KHALIJI MEDICARE EST -Orig-                | BIODEX                               | Radiacwash™, Spray Mist, 1 L bottle      |
| 183 | 4220260208100 | RADIUM - (RA 223) DICHLORIDE INJECTION, FOR CASTRATION-RESISTANT PROSTATE CANCER, SYMPTOMATIC BONE METASTASES.  | Abdulla Fouad for medical supplies -Orig-  | BAYER Healthcare                     | Xofigo (radium Ra 223 dichloride         |
| 184 | 4220260215400 | F-18-FDG INJ I.V. 12 MCI EXPIRATION 12 HOURS POST CALIBRATION CALIBRATION SHOULD BE SPECIFIED ACCORDING TO THE AGREED DELIVERY TIME AT LEAST 2 HOURS LATER)   | AL-TAKASSUSI GENERAL LIMITED Co. Br -Orig- | KING FAISAL SPECIALIST HOSPITAL & RC | F18 FDG inj- 12mci expiry 12H post calib |
| 185 | 4219280500000 | DECONTAMINATION KIT   | Dar Al-Zahrawi Medical Company -Orig-      | BIODEX                               | Decontamination Kit                      |
| 186 | 4220420000000 | TRANSPORTATION OF RADIOPHARMACEUTICAL MATERIALS   | Cancelled                                  |                                      |  |
| 187 | 5144150002400 | CONTRAST MEDIUM IODINE-BASED WATER SOLUBLE CONTRAST MEDIUM WITH FLAVORING FOR G.I.T EXAMINATION 370MG I/ML AND CT SCAN (ORAL) 100ML/ BOTTLE.  | AL KAMAL IMPORT OFFICE CO.,LTD. -Orig-     | BerliMed S.A                         | Gastrografin 100ml bottle                |

| SN  | NUPCO CODE    | ITEM SPECIFICATION  | VENDOR NAME                           | MANUFACTURER | TRADE DESCRIPTION   |
|-----|---------------|---|---------------------------------------|--------------|---------------------|
| 188 | 5121250302500 | CONTRAST MEDIUM (CM).BARIUM -BASED,ENEMA KIT W/BARIUM SULFATE SUSPENSION FOR CT EXAMINATIONS OF THE GASTROINTESTINAL TRACT.400 ML OF BARIUM SULFATE SUSPENSION 1.3% W/V IN ABAG WITH SCREW CAP FITTINGS, 60" OF1/2 ' TUBING WITH CAP ASSEMBLY AND ATTACHED SAFE | No Quotation                          |              |                     |
| 189 | 4220260100100 | DMSA (V) (PENTAVALENT DMSA),(FOR LABELLING WITH 99 MTC FOR MEDULLARY THYROID CARCINOMA IMAGING ) 5VIAL/ KIT.  | Modawina Medical Trading Est. -Orig-  | CURIUM       | DMSA                |
| 190 | 4220260202500 | SAMARIUM - CHLORIDE PRECURSOR FOR LABELING MULTIBONE IN VIVO ONE KIT.   | Cancelled                             |              |                     |
| 191 | 5121250301300 | CONTRAST MEDIUM (CM),GADOLINIUM-BASED WATER SOLUBLE CONTRAST MEDIUM FOR INJECTION,CONCENTRATION 1.0 M MOL/ML, 7.5-15ML VIALS OR PFS (PRE FILLED SYRINGE)  | AL KAMAL IMPORT OFFICE CO.,LTD. -Alt- | Bayer AG     | Gadovist 7.5 ml PFS |

