

SN	NUPCO CODE	DESCRIPTION	UOM	QTY
1	401616020000	HYDROGEN PEROXIDE 7%, CARTRIDGE, FOR AIR DECONTAMINATION, SIZE 500-1000 ML, COMPATIBLE WITH FUMIGATION MACHINE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
2	4228160404900	SURFACE DISINFECTANT, CHLORINE DIOXIDE, CONCENTRATE 2000-10000 PPM, CAN BE APPLIED THROUGH TRIGGER SPRAY, ANY PUMP, SPRAYER, FUMIGATION AND ELECTROSTATIC MACHINES (OPEN SYSTEM) BACTERICIDAL, VIRUCIDAL, FUNGICIDAL, PARASITICIDAL, MYCOBACTERICIDAL AND SPORICIDAL. 2 MINUTES CONTACT TIME CAN REMOVE AND DISINFECT AND DELAY GROWTH OF BIOFILM, 4-5 LITER (CONFORM TO OSHA GUIDELINES, EPA OR MATCH WITH EN STANDARD), NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
3	4016160200100	HYDROGEN PEROXIDE 6%, DISINFECTANT, 900-1000 ML, COMPATIBLE WITH FUMIGATION MACHINE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	BT	500
4	4228160405000	SURFACE DISINFECTANT AND DETERGENT, STABILIZED CHLORINE DIOXIDE 200-500 PPM, BACTERICIDAL (INCLUDING MDRO'S), VIRUCIDAL, FUNGICIDAL, PARASITICIDAL, MYCOBACTERICIDAL AND SPORICIDAL WITH 6 LOG REDUCTION. 1-5 MINUTES CONTACT TIME CAN REMOVE, DISINFECT, DELAY GROWTH OF BIOFILM AND REMOVES ODORS, CAN BE APPLIED THROUGH TRIGGER SPRAY, PUMP COVERED, SPRAYER, FUMIGATION AND ELECTROSTATIC MACHINES (OPEN SYSTEM).SIZE 500-1000 ML, READY TO USE, (CONFORM TO OSHA GUIDELINES, EPA OR MATCH WITH EN STANDARD), NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
5	4110420100000	DISINFECTANT, 0.5GM CHLORINE NADCC TABLET, NOT LESS THAN 100 TABLET, THE INSTRUCTION SHOULD BE LABELLED, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
6	4228160404500	SPORICIDAL DRY WIPES, PRODUCE 0.3% PERACETIC ACID AND HYDROGEN PEROXIDE AS ACTIVE INGREDIENT BY ADDITION OF TAP WATER, WIDE ANTI-MICROBIAL EFFECT INCLUDING NON-ENVELOPED VIRUSES, CANDIDA AURIS, MYCOBACTERIUM AND BACTERIAL ENDOSPORES INCLUDING CLOSTRIDIUM DIFFICILE, SIZE NOT LESS THAN 20CM X 20CM, PACK 25-50 WIPES, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
7	4110420100100	DISINFECTANT, 2.5GM CHLORINE NADCC TABLET, NOT LESS THAN 100 TABLET, THE INSTRUCTION SHOULD BE LABELLED, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	20000
8	4228160404700	DISINFECTANT, FOR HARD SURFACE, DIDECYLDIMETHYLAMMONIUM CHLORIDE (DDAC) LESS THAN 0.10%, ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE (ADBAC) LESS THAN 0.06%, KILLS MORE THAN 99.999% BACTERIA, DESTROYERS VIRUSES, OSHA BLOOD-BORNE PATHOGEN COMPLIANT, INHIBITS BACTERIAL SPORES, ERADICATES MOULDS/FUNGI/YEAST, ADJUVANT EFFECT CONTINUES TO PROTECT SURFACES AGAINST PATHOGENS EVEN WHEN DRY, PROLONGED ANTIMICROBIAL PROTECTION TO REDUCE THE NEED FOR MULTIPLE CLEANING AND DISINFECTING APPLICATIONS, NO COLOR, NO ODOR, NON IRRITANT, NON CORROSIVE OR DAMAGING TO SURFACES, NON-TOXIC, LEAVES NO HARMFUL RESIDUES, SAFE IN ALL ENVIRONMENTS, PROLONGED ANTIMICROBIAL PROTECTION, PATHOGEN COMPLIANT, SIZE 400-500 ML, (MATCH WITH EN STANDARD), AEROSOL HARD SURFACE SPRAY, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500

9	4110420100200	DISINFECTANT, 1.7GM CHLORINE NADCC TABLET, NOT LESS THAN 100 TABLET, THE INSTRUCTION SHOULD BE LABELLED, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
10	4228160404800	DISINFECTANT, DIDECYLDIMETHYLAMMONIUM CHLORIDE (DDAC) 0.10%, ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE (ADBAC) LESS THAN 0.06%, KILLS MORE THAN 99.99% BACTERIA, DESTROYERS VIRUSES, OSHA BLOOD-BORNE PATHOGEN COMPLIANT, INHIBITS BACTERIAL SPORES, ERADICATES MOULDS/FUNGI/YEAST, ADJUVANT EFFECT CONTINUES TO PROTECT SURFACES AGAINST PATHOGENS EVEN WHEN DRY, PROLONGED ANTIMICROBIAL PROTECTION TO REDUCE THE NEED FOR MULTIPLE CLEANING AND DISINFECTING APPLICATIONS, NO COLOR, NO ODOR, NON IRRITANT, NON CORROSIVE OR DAMAGING TO SURFACES, NON-TOXIC, LEAVES NO HARMFUL RESIDUES, SAFE IN ALL ENVIRONMENTS, PROLONGED ANTIMICROBIAL PROTECTION, PATHOGEN COMPLIANT, (MATCH WITH EN STANDARD), TRIGGER HARD SURFACE SPRAY READY FOR USED, SIZE 750-1000 ML, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
11	4111610501300	ALCOHOL ETHYL 99.5%, CHROMATOGRAPHY HPLC, 1 LITER, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	L	20000
12	4228170000500	CONCENTRATE 5L DRUM READY FOR USE, DIDECYLDIMETHYLAMMONIUM CHLORIDE (DDAC) LESS THAN 0.10%, ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE (ADBAC) LESS THAN 0.06%, SUITABLE FOR USE FOR CLEANING ALL KIND OF FLOORS, CLOTHES, MOPS MICROBES, KILLS MORE THAN 99.99% BACTERIA, DESTROYERS VIRUSES, OSHA BLOOD-BORNE PATHOGEN COMPLIANT, INHIBITS BACTERIAL SPORES, ERADICATES MOULDS/FUNGI/YEAST, ADJUVANT EFFECT CONTINUES TO PROTECT SURFACES AGAINST PATHOGENS EVEN WHEN DRY, PROLONGED ANTIMICROBIAL PROTECTION TO REDUCE THE NEED FOR MULTIPLE CLEANING AND DISINFECTING APPLICATIONS, NO COLOR, NO ODOR, NON IRRITANT, NON CORROSIVE OR DAMAGING TO SURFACES, NON-TOXIC, LEAVES NO HARMFUL RESIDUES, SAFE IN ALL ENVIRONMENTS, PATHOGEN COMPLIANT, (MATCH WITH EN STANDARD), NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
13	4111610501400	ALCOHOL ISOPROPYL 99.9%, 2.5 UP TO 5 LITER DRUM, HAZARDOUS MATERIAL, SAFETY DATA SHEET IS REQUIRED ON DELIVERY OF PRODUCT IN SOFT COPY, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
14	4213172100300	WIPES, IS A HIGH LEVEL DISINFECTANT, SINGLE STEP CLEANING AND DISINFECTION, IT IS BASED AROUND THE QUATERNARY AMMONIUM COMPOUNDS, DIDECYLDIMETHYLAMMONIUM CHLORIDE (DDAC), AND BENZALKONIUM CHLORIDE (BAC), IT KILLS GREATER THAN 99.99% PATHOGENS AND INHIBITS BACTERIAL SPORES AND IS OSHA BLOOD-BORNE PATHOGEN COMPLIANT, DESTROYERS VIRUSES, ERADICATES MOULDS/FUNGI/ YEAST, WITH AN ADJUVANT EFFECT TO ENHANCE ITS ANTIMICROBIAL EFFICACY, PROLONGED ANTIMICROBIAL PROTECTION TO REDUCE THE NEED FOR MULTIPLE CLEANING AND DISINFECTING APPLICATIONS, FRAGRANCE FREE, CHLORINE FREE, ALCOHOL FREE, AND EXHIBIT THE FOLLOWING KEY QUALITIES WHEN IN USE, NON-CORROSIVE, NON-IRRITANT, NON-TOXIC, FOOD SAFE, EASY TO USE, (MATCH WITH EN STANDARD), PACK OF 100-150 WIPES, MUTIBAL TO EASY DISPENSING PACKAGE, NON MOVEN WIPES, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
15	4111620500800	SHOWER BATH KIT, PRE OPERATIVE, CONTAINS: BOTTLE CHLORHEXIDINE GLUCONATE 4% 100ML, 2PES SURGICAL DRY SPONGES, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	72080

16	4227180000300	AEROSOL MISTING SYSTEM 450-500 ML, DISINFECTANT, DIDECYLDIMETHYLAMMONIUM CHLORIDE (DDAC) LESS THAN 0.10%, ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE (ADBAC) LESS THAN 0.06%, FOR USE ON ALL HARD AND SOFT SURFACES, IT KILLS GREATER THAN 99.99% PATHOGENS AND INHIBITS BACTERIAL SPORES AND IS OSHA BLOOD-BORNE PATHOGEN COMPLIANT, DESTROYERS VIRUSES, ERADICATES MOULDS/FUNGI/YEAST, NON- POWERED, SAFE, COMPACT, PORTABLE NO NEED FOR MACHINES, IDEAL FOR ALL AREAS, MINIMAL DWELL TIME, IDEAL FOR TERMINAL CLEANS. ADJUVANT EFFECT CONTINUES TO PROTECT SURFACES AGAINST PATHOGENS EVEN WHEN DRY, PROLONGED ANTIMICROBIAL PROTECTION TO REDUCE THE NEED FOR MULTIPLE CLEANING AND DISINFECTING APPLICATIONS, NO COLOR, NO ODOR, NON IRRITANT, NON CORROSIVE OR DAMAGING TO SURFACES NON-TOXIC, LEAVES NO HARMFUL RESIDUES, SAFE IN ALL ENVIRONMENTS, (MATCH WITH EN STANDARD), NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY.	EA	500
17	4215210400100	LIQUID CLEANING AND DISINFECTION OF ALL KINDS OF DENTAL IMPRESSIONS, WORN DENTAL PROSTHESES AND DENTAL WORKS, EFFICACY AND CONTACT TIME BACTERICIDAL INCLUDE TBC, YEASTICIDAL, VIRUS INACTIVATING A SUCH AS HBV, HCV, HIV, INFLUENZA, BVDV AND VACCINIA CONTACT TIME(1-5 MIN.), SIZE 5L, FREE OF CHARGE DISPENSER, MEASUREMENT TOOL, EN STANDARD, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	20000
18	4218150800100	DISINFECTANT, WIPE NON-LINTING 11X18CM WITH 2% CHLORHEXIDINE, 70% ISOPROPYL ALCOHOL, FOR DISINFECTION OF HUBS AND CONNECTION PORTS, INDIVIDUALLY PACKAGED, STERILE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	9993800
19	4229542104200	ANTISEPTIC, CHLORHEXIDINE GLUCONATE SCRUB SOLUTION 4%, SURGICAL HAND SOAP, 1000ML BAG, WITH ONE FREE OF CHARGE DISPENSER WITH EVERY 10 BAG, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	BAG	500
20	4229542101400	ANTISEPTIC, CHLORHEXIDINE GLUCONATE SCRUB SOLUTION 4%, SURGICAL HAND SOAP, 1000ML, BOTTLE, WITH ONE FREE OF CHARGE DISPENSER WITH EVERY 10, BOTTLE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
21	4219261201200	APPLICATOR, DISINFECTANT, SURGICAL, PREP, 26 ML WITH 0.7% IODINE, AND 70-74% ALCOHOL, HAZARDOUS MATERIAL- MATERIAL SAFETY DATA SHEET IS REQUIRED ON DELIVERY OF PRODUCT IN SOFT COPY, STERILE	EA	12405
22	4229542104000	ANTISEPTIC, CHLORHEXIDINE GLUCONATE SCRUB SOLUTION 2%, HAND SOAP, MILD FORMULATION HELPS RETAIN THE SKIN'S NATURAL OILS AND MOISTURE, 1000 ML BAG, WITH ONE FREE OF CHARGE WALL MOUNTED AUTOMATIC DISPENSER WITH EVERY 10 BAG, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
23	4224170309000	SPONGE BODY, NO RINSE, ONE STEP CLEANSING SPONGE	EA	432000
24	4713180001400	DISINFECTANT SODIUM HYPOCHLORITE 5.25% LIQUID, 1 LITER, HAZARDOUS MATERIAL, SAFETY DATA SHEET IS REQUIRED ON DELIVERY OF PRODUCT IN SOFT COPY, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
25	4224170309100	BRUSH/SCRUB WITH 4% CHLORHEXIDINE GLUCONATE, STERILE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000000
26	4810181900900	ALCOHOL GEL, ETHANOL 70-80%, GLYCERIN 1%, VIT E 0.2% NON-FRAGRANCE, 1000 ML BOTTLE, WITH ONE FREE OF CHARGE WALL MOUNTED AUTOMATIC DISPENSER WITH EVERY 10 BOTTLE AS PER ATTACHED SPECIFICATIONS, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500

27	4228160300000	LIQUID CONCENTRATED FOR NON PROTEIN, FIXING CLEANING AND DISINFECTION OF MEDICAL AND DENTAL INSTRUMENTS, AND ENDOSCOPES, LIQUID CONCENTRATE FREE OF ALDEHYDES, PHENOLS AND QAC, AND EXTREME HIGH CORROSION INHIBITOR, SIZE 1 LITTER, EFFICACY BACTERICIDAL (INCL. TBC) VIRUCIDAL ACTIVITY ACCORDING TO EN 16777, (HIV/HBV, HCV), TO BE DELIVERED WITH ALL CERTIFICATES ACCORDING TO TECHNICAL CONDITIONS AND WITH EN STANDARDS FOR THE DISINFECTION OF INSTRUMENTS, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
28	4229542104100	SOLUTION, ANTISEPTIC, HAND WASH, CHLORHEXIDINE 2% WITH ALCOHOL ISOPROPYL 4%, BOTTLE, 1000 ML, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
29	4229542104300	SOLUTION, ANTISEPTIC, HAND WASH, CHLORHEXIDINE 2% WITH ALCOHOL ISOPROPYL 4%, BOTTLE, 500 ML, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	BT	500
30	4228160300100	LIQUID CONCENTRATED FOR DISINFECTING SPITTOON BOWLS OF DENTAL UNIT, ANTIFOAMING, EFFICACY BACTERICIDAL, YEASTICIDAL, SIZE 5 L, COMPATIBLE WITH DENTAL CHAIR MANUFACTURES, FREE OF CHARGE DISPENSER, MEASUREMENT TOOL, EN STANDARD, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	20000
31	4228170000600	THREE-STEPS OXIDIZING AGENT CHLORINE DIOXIDE DECONTAMINATION SYSTEM WITH SPORICIDAL WIPES AND ACTIVATOR EFFECTIVE IN 30 SECONDS CONTACT TIME FOR HIGH-LEVEL DISINFECTION OF NON-LUMENED MEDICAL DEVICES MATCHING ELECTRONIC AND MANUAL TRACEABILITY SYSTEM, BOX, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	BOX	500
32	4228160300200	POWDER ENZYMATIC DETERGENT, 3 ENZYME, EFFECTIVE ON BLOOD, RESIDUES OF TISSUE AND BIOFILM, BROAD RANGE OF WATER QUALITY AND TYPE (DISSOLVES COMPLETELY IN HARD OR SOFT WATER) AND EASY TO RINSE LOW FOAMING AND SUITABLE FOR AUTOMATIC CLEANING EQUIPMENTS, SUITABLE FOR PRE-SOAK AND MANUAL CLEANING APPLICATIONS AFTER ADEQUATE DILUTION, BIODEGRADABLE, EPA REGISTERED, MUST BE COMPATIBLE WITH ALL MANUFACTURES, ULTRASONIC WASHERS, WASHER/DISINFECTORS AND OTHER AUTOMATIC MECHANICAL WASHER APPLICATIONS USED IN EACH SECTOR (THE BIDDER MUST PROVIDE LETTER TO CONFIRM COMPATIBILITY) CONFORMS TO RELEVANT WITH EN STANDARDS (SACHET), NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000
33	4228160300300	DISINFECTANT, TD-5 GLUTARALDEHYDE, USED FOR TD-100 DISINFECTOR FOR TEE ULTRA PROBES, APPROXIMATELY 1 LITTER, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	BT	2000
34	4228160300400	DISINFECTANT, TD-5 GLUTARALDEHYDE, USED FOR TD-100 DISINFECTOR FOR TEE ULTRA PROBES, APPROXIMATELY 500 ML, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	BT	500
35	4228160300500	DISINFECTANTS (DIS), ALCOHOL 70% SPRAY, WITHOUT PHENOLS OR CHLORINE, COMPATIBLE WITH MOST OF MATERIALS, INCLUDING STAINLESS STEEL, ALUMINUM, CHROME, PLASTICS, ACRYLIC, AND GLASS, RINSING IS UNNECESSARY.NO COLOR, NO ODOR, NON IRRITANT, NON DAMAGING TO SURFACES, NON-TOXIC, LEAVES NO HARMFUL RESIDUES, SAFE IN ALL ENVIRONMENTS, SPRAY BOTTLE OF 500ML NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	BT	10000
36	4228160300600	KIT CONTAIN 1- NON PROTEIN FIXING INNER CLEANING PRIOR TO DISINFECTION/STERILIZATION, 2- INNER DISINFECTION OF MEDICAL AND DENTAL HOLLOW PART INSTRUMENTS AS TURBINES, HAND PIECES AND CONTRA-ANGLES AFTER THE NON PROTEIN FIXING PRE-CLEANING, 3- REMOVING OF RESIDUES OF CLEANING AND DISINFECTION AGENTS AND MAINTENANCE PRODUCTS AND DRYING OF SPRAY CHANNELS AND INNER SURFACES, INCLUDED WITH ALL MANUFACTURE ADAPTORS OF INTERNAL HANDPIECE, AIR SCALER TIPS AND SPRAY WATER AND SPRAY AIR, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	KIT	1000

37	4228160310000	ORTHOPHTHALDEHYDE SOLUTIONS 0.55% FOR HIGH LEVEL DISINFECTION OF ENDOSCOPES COMPATIBLE WITH ALL FLEXIBLE ENDOSCOPY MANUFACTURES, SUPPLIED WITH REQUIRED EFFICACY TESTING STRIPS, 16 TEST STRIPS FOR 3.75 L, OR 25 TEST STRIPS FOR 5 L. CONFORMS WITH CORRESPONDING ISO STAND ARD. MATERIAL SAFETY DATA SHEET (MSDS) ATTACHED, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000
38	4228160310100	ALCOHOL GEL, ETHANOL 70-80% V/V + GLYCERIN 1% WITHW + VITAMIN E 0.02% 1000 ML, NON-STICKY, NON-GREASY, AS F.O.C. EVERY 10 BOTTLE WALL MOUNTED DISPOSABLE INSERTS, WITH DISPENSER, AS PER ATTACHED SPECIFICATIONS, BAG, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	100000
39	4228160310200	ALCOHOL GEL, (ETHANOL 70-80% V/V + GLYCERIN 1% WITHW + VITAMIN E 0.02%, 500 ML, NON-STICKY, NON-GREASY AS F.O.C. DESKTOP HOLDER EVERY 10 BOTTLE, WITH DISPENSER, DISPOSABLE INSERTS AS PER ATTACHED SPECIFICATIONS, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	100000
40	4228160310400	PLAIN HAND WASH SOAP 1 L WITH ONE FREE OF CHARGE DISPENSER EVERY 10 BAGS AS PER ATTACHED SPECIFICATIONS, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	100000
41	4228160310600	ALCOHOL GEL HAND SANITIZER 50 - 60 ML (ETHANOL 70 - 80% V/V + GLYCERIN 1% W/W + VITAMIN E 0.02%), NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	100000
42	4228160310900	ANTISEPTIC, CHLORHEXIDINE GLUCONATE SCRUB SOLUTION 4%, IN A SUSPENDING BASE, (500ML) CONTAINER, WITH DISPENSER FREE FOR EACH 10 PACKS, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	L	5000
43	4228160311000	DISINFECTANTS (DIS) D. I.S, CHLORHEXIDINE GLUCONATE 1.5% + CETRIMIDE 15% SOLUTION IN ONE LITER-BOTTLE NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	1000
44	4228160311700	DISINFECTANTS (DIS) DIDECYL DIMETHYL AMMONIUM BROMIDE OR DIOCTYL DIMETHYL AMMONIUM BROMIDE 70% SPRAY, NO COLOR, NO ODOR, NON IRRITANT, NON DAMAGING TO SURFACES, NON-TOXIC, LEAVES NO HARMFUL RESIDUES, SAFE IN ALL ENVIRONMENTS, SIZE (500 - 750 ML) (SURFACE DISINFECTANT) NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	10000
45	4228160311800	SOLUTION DIDECYL OR DIOCTYL DIMETHYL AMMONIUM BROMIDE, 4-5L, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	GAL	2000
46	4228160311900	DISINFECTANTS (DIS) HYDROGEN PEROXIDE 3% WITHOUT SILVER NITRATE SPRAY, NO COLOR, NO ODOR, NON IRRITANT, NON DAMAGING TO SURFACES, NON-TOXIC, LEAVES NO HARMFUL RESIDUES, SAFE IN ALL ENVIRONMENTS, SIZE (200 - 300 ML) (LARGE AND SMALL SURFACE GENERAL DISINFECTANT AND EQUIPMENT DISINFECTANT) NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	1000
47	4228160312200	2-PROPANOL SUITABLE FOR HPLC, 99.9%, 2.5 L/BOTTLE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
48	4214150402400	APPLICATOR, CHLORHEXIDINE, CLEAR GLUCONATE, WITH CHLORHEXIDINE GLUCONATE 2 % WITH AND 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 6 ML, FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	500
49	4228160312400	SCRUB IODINE SWAB 7-8% AQUEOUS SOLUTION OF IODOPHOR COMPOUND INDIVIDUAL PACK, NOT LESS THAN 100ML, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
50	4229540004500	APPLICATOR, CHLORHEXIDINE, CLEAR GLUCONATE, WITH CHLORHEXIDINE GLUCONATE 2 % WITH AND 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 10.5 ML, FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	265350
51	4214150402800	APPLICATOR, CHLORHEXIDINE, CLEAR GLUCONATE, WITH CHLORHEXIDINE GLUCONATE 2 % WITH AND 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 3 ML, FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	331565

52	4214150402500	APPLICATOR, CHLORHEXIDINE, CLEAR, GLUCONATE, WITH CHLORHEXIDINE GLUCONATE 2 % WITH AND 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 26 ML, FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	70944
53	4228160312000	DISINFECTANTS (DIS), ISOPROPYL ALCOHOL 70% SPRAY, 250 ML (SMALL SURFACE DISINFECTANT), NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
54	4228160403000	DISINFECTANTS (DIS), CONCENTRATED QUATERNARY AMMONIUM COMPOUNDS, 4TH GENERATION FOR THE HOSPITAL ENVIRONMENT (FLOORS AND WALLS), COMPATIBLE WITH MOST OF MATERIALS INCLUDING STAINLESS STEEL, ALUMINUM, CHROME, PLASTICS, VINYL, ACRYLIC, AND GLASS, WITHOUT PHENOLS OR CHLORINE, 2-5 LITERS FOR REGULATOR CONSTRUCTION 10% FROM THE QUANTITY (MATCH WITH EN STANDARD), NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	BT	1000
55	4228160403100	SURFACE DISINFECTANT SPRAY, ALCOHOL-BASED 55% AND ABOVE DISINFECTANT, WITH QUATERNARY AMMONIUM 4TH GENERATION, AND ABOVE COMPOUNDS AS ACTIVE INGREDIENTS, MAIN FIELD OF APPLICATION IS FOR THE DISINFECTION OF SURFACES, AND DENTAL EQUIPMENT, READY TO USE, ALDEHYDE-FREE AND PHENOL-FREE FORMULATION, EFFECTIVE AGAINST BACTERIA, FUNGI AND VIRUSES (INCLUDING TB, HIV/HBV, CORONAVIRUS, FLU VIS), EASILY BIODEGRADABLE, QUICK ACTION TIME 30 SECOND, PACKAGE 500 ML READY TO USE AND CONNECTED AS SPRAY (MATCH WITH EN STANDARD), NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	1000
56	4228160403200	AIRBORNE DISINFECTANT, FOR SURFACES, DIDECYL DIMETHYL AMMONIUM CHLORIDE WITH 19% ALCOHOL, SINGLE SHOT, WITHOUT MACHINES/ NEBULIZER, 300 ML, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000
57	4228160403300	AIRBORNE DISINFECTANT, FOR SURFACES, DIDECYL DIMETHYL AMMONIUM CHLORIDE WITH 19% ALCOHOL, SINGLE SHOT, WITHOUT MACHINES/ NEBULIZER, 50ML, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000
58	4228160403400	HYDROGEN PEROXIDE 1.41%, FOR AERIAL DISINFECTION, SURFACE DISINFECTION AND WATER DISINFECTION, 500 ML, FOR DENTAL CHAIRS COMPATIBLE WITH CHAIRS MANUFACTURES, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	BT	2000
59	4228160403500	LIQUID CLEANING AND DISINFECTION, QAC- FORMULATION BASED ALKYLAMINES OF SENSITIVE SURFACES OF MEDICAL DEVICES SUCH AS MEDICAL AND DENTAL UNITS ALCOHOL-FREE, ALDEHYDE-FREE AND, EFFICACY, CONTACT TIME AND CERTIFICATION BACTERICIDAL (1MIN.) INCL. TBC (5 MIN.) YEASTICIDAL (1 MIN.) YEASTICIDAL (1 MIN.), SIZE 500ML, EN STANDARD, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	BT	500
60	4228160403700	SINGLE WIPE SURFACE, PP NON WOVEN ALCOHOL FREE DISINFECTANT, WITH QUATERNARY AMMONIUM 4TH GENERATION, AND ABOVE COMPOUNDS AS ACTIVE INGREDIENTS, MAIN FIELD OF APPLICATION IS FOR THE DISINFECTION OF SURFACES, AND DENTAL EQUIPMENT, READY TO USE, ALDEHYDE-FREE AND PHENOL-FREE FORMULATION, EFFECTIVE AGAINST BACTERIA, FUNGI AND VIRUSES (INCLUDING TB, HIV/HBV, CORONA VIRUSES, FLU VIS), EASILY BIODEGRADABLE, QUICK ACTION TIME 30 SECOND, SIZE 20 CM X 30CM AND ABOVE (MATCH WITH EN STANDARD), NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	10000

61	4228160403800	SURFACE DISINFECTANT SPRAY, ALCOHOL-BASED 55% AND ABOVE DISINFECTANT, WITH QUATERNARY AMMONIUM 4TH GENERATION, AND ABOVE COMPOUNDS AS ACTIVE INGREDIENTS, MAIN FIELD OF APPLICATION IS FOR THE DISINFECTION OF SURFACES, AND DENTAL EQUIPMENT, READY TO USE, ALDEHYDE-FREE AND PHENOL-FREE FORMULATION, EFFECTIVE AGAINST BACTERIA, FUNGI AND VIRUSES (INCLUDING TB, HIV/HBV, CORONAVIRUS, FLU VIS), EASILY BIODEGRADABLE - QUICK ACTION TIME 30 SECONDD PACKAGE, NO COLOR, NO ODOR, NON IRRITANT, NON DAMAGING TO SURFACES, NON-TOXIC, LEAVES NO HARMFUL RESIDUES, SAFE IN ALL ENVIRONMENTS, 1000 ML READY TO USE AS SPRAY (MATCH WITH EN STANDARD)NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	BT	10000
62	4228160403900	SURFACE DISINFECTANT, SPRAY, STABILIZED HYDROGEN PEROXIDE 5%, COLLOIDAL SILVER 0.003%, READY TO USE, NO COLOR, NO ODOR, NON IRRITANT, NON DAMAGING TO SURFACES, NON-TOXIC, LEAVES NO HARMFUL RESIDUES, SAFE IN ALL ENVIRONMENTS, 1 L NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	BT	2000
63	4228160404000	CANISTER WIPE SURFACE, PP NON WOVEN ALCOHOL BASED 55% AND ABOVE DISINFECTANT WITH QUATERNARY AMMONIUM 4TH GENERATION AND ABOVE COMPOUNDS AS ACTIVE INGREDIENTS, MAIN FIELD OF APPLICATION IS FOR THE DISINFECTION OF SURFACES, AND DENTAL EQUIPMENT, READY TO USE, ALDEHYDE-FREE AND PHENOL-FREE FORMULATION, EFFECTIVE AGAINST BACTERIA, FUNGI AND VIRUSES (INCLUDING TB, HIV/HBV, CORONA VIRUS, FLU VIS), EASILY BIODEGRADABLE, QUICK ACTION TIME 30 SECONDD - 140 TO 200 TISSUE PER CANISTER AND ABOVE SIZE 20 CM X 30CM AND ABOVE (MATCH WITH EN STANDARD), NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000
64	4228160404100	CANISTER WIPE SURFACE, PP NON WOVEN ALCOHOL FREE DISINFECTANT, WITH QUATERNARY AMMONIUM 4TH GENERATION AND ABOVE COMPOUNDS AS ACTIVE INGREDIENTS MAIN FIELD OF APPLICATION IS FOR THE DISINFECTION OF SURFACES, AND DENTAL EQUIPMENT -READY TO USE, ALDEHYDE-FREE AND PHENOL-FREE FORMULATION -EFFECTIVE AGAINST BACTERIA, FUNGI AND VIRUSES (INCLUDING TB, HIV/HBV, CORONAVIRUS, FLU-VIS), EASILY BIODEGRADABLE -QUICK ACTION TIME 30 SECONDD - 140 -200 TISSUE PER CANISTER AND ABOVE SIZE 20 CM X 30CM AND ABOVE (MATCH WITH EN STANDARD), NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000
65	4228160404200	DISINFECTION, CLOSER FOR NEEDLESS IV PORTS, THAT CONTAINS 70 % ISOPROPYL ALCOHOL (IPA) NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	10000
66	4228170404700	DISINFECTANT, N-ALKYL, N-DIMETHYL, BENZYL, AMMONIUM CHLORIDE, 250 ML FOR PERINATOLOGY/ULTRASOUND TRANSDUCER, HAZARDOUS MATERIAL, NO COLOR, NO ODOR, NON IRRITANT, NON DAMAGING TO SURFACES, NON-TOXIC, LEAVES NO HARMFUL RESIDUES, SAFE IN ALL ENVIRONMENTS, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
67	4228171100100	REMOVER, LIMESCALE, WITH PHOSPHORIC ACID, SUITABLE INHIBITORS WITH DISPOSABLE EQUIPMENT 5L, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000
68	4229495500600	SURFACE DISINFECTANT/ COMPATIBLE WITH MACHINE, USE FOR VAPORIZATION, STABILIZED HYDROGEN PEROXIDE 5%, COLLOIDAL SILVER 0.003%, READY TO USE, 3L-5L, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
69	4229540800800	ANTISEPTIC, SPONGE, CONTAINS 4% CHLORHEXIDINE, SOAP SOLUTION FOR PRE-OP SHOWER, MATERIAL SAFETY DATA SHEET IN SOFT COPY REQUIRED, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	10000
70	4229540801100	BRUSH/SPONGE SURGICAL SCRUB, WITH NAIL CLEANER, NO DETERGENT, STERILE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000

71	4229542100900	APPLICATOR, CHLORHEXIDINE, TINTED, GLUCONATE, WITH CHLORHEXIDINE GLUCONATE 2 % WITH AND 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 26 ML, FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	10000
72	4229542200200	SOLUTION, ANTISEPTIC, 2% CHLORHEXIDINE GLUCONATE, 2% ISOPROPYL, HAND WASH, SIZE 1L, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	1000
73	4713150200900	SKIN PROTECTIVE BARRIER WIPE, NON-ALCOHOL NO STING, DISPOSABLE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	322749
74	4713150201200	DISINFECTANT, WIPE, WITH 70% ISOPROPYL ALCOHOL, APPROXIMATELY FROM 25-30 X 30CM, NON-LINTING, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000
75	4713180000100	ANTISEPTIC, SURGICAL, HAND RUB, 1% CHLORHEXIDINE, IN 62 - 70% ETHYL ALCOHOL, 500ML, FOR WALL MOUNTED, HANDS FREE DISPENSER, HAZARDOUS MATERIAL, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	11976
76	4713180000400	DISINFECTANT SODIUM HYPOCHLORITE 5.25% LIQUID 5 LITER, HAZARDOUS MATERIAL, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000
77	4713180000500	GLASS CLEANER, 4 L (GALLON)	EA	2000
78	4713180000600	HYDROCHLORIC ACID, CONCENTRATION, 65%, 2-5 L, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000
79	4713180000700	ALCOHOLIC, DISINFECTANT SPRAY SOLUTION, 70% IPA, ANTISEPTIC SKIN, 200 ML, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	BT	2000
80	4713180000900	ANTISEPTIC, POVIDONE-IODINE 10%, WITH ANTIMICROBIC FILM-FORMING WATER SOLUBLE, AQUEOUS SOLUTION, NON-STAINING TO SKIN AND NATURAL FABRIC 8FL. OZ. 250ML, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	BT	500
81	4713180001200	CLEANER, FOR DENTAL SUCTION SYSTEMS, CONCENTRATION LIQUID FOR THE CLEANING AND CARE OF DENTAL ASPIRATION SYSTEM. 1. DAILY USE FORMULA; PLEASANT FRESH SMELL PREVENTS FOAM FORMATION PH (UNDILUTED) APPROXIMATELY. 12.0, EFFECTIVE AGAINST BACTERIA, FUNGI, ACTION TIME: 60MINUTES, PACKAGE: ABOUT 5 LITERS, 2. PLEASANT FRESH SMELL, PREVENTS FOAM FORMATION (UNDILUTED) APPROXIMATELY. 1.0, EFFECTIVE AGAINST BACTERIA, FUNGI ACTION TIME: 60 MINUTES, 5% DILUTION (1 LITER CONCENTRATE = 20 LITERS READY TO USE SOLUTION) PACKAGE, ABOUT 5 LITERS, TO BE DELIVERED WITH ALL CERTIFICATES ACCORDING TO TECHNICAL CONDITIONS, COMPATIBLE WITH DENTAL CHAIR COMPANY AND MATCH WITH EN STANDARDS, FREE OF CHARGE DISPENSER, MEASUREMENT TOOL, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	GAL	1000
82	4713181100100	CONCENTRATED DETERGENT, (BOOSTER) FOR LAUNDRY AUTOMATIC LOADING SYSTEM, 30L, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
83	4713181100200	DETERGENT, FOR LAUNDRY AUTOMATIC LOADING SYSTEM, 30L, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
84	4713181100300	SOFTENER LIQUID, FOR LAUNDRY AUTOMATIC LOADING SYSTEM, 30L, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
85	4810181900700	ALCOHOL GEL, (ETHANOL 70-80% V/V + GLYCERIN 1% WITHW + VITAMIN E 0.02% WITH 10% OF TOTAL QUANTITY AS F.O.C. BED MOUNTED, 1 LITER, DISPOSABLE, PLASTIC BOTTLE, INSERTS AS PER ATTACHED SPECIFICATIONS, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
86	5110270701600	HAND SOAP, WATER-BASED HAND SOAP WITH QUATERNARY AMMONIUM COMPOUNDS AS ACTIVE INGREDIENTS -READY TO USE, ALDEHYDE-FREE AND PHENOL-FREE FORMULATION, EFFECTIVE AGAINST BACTERIA, FUNGI AND VIRUSES (INCLUDING TB, HIV/HBV) -EASILY BIODE TO BE DELIVERED WITH ALL CERTIFICATES ACCORDING TO TECHNICAL CONDITIONS, PACKAGE 1000 ML. BOTTLE X 6 WITH DISPOSABLE INSERT, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000

87	5110270702200	CLEANER, FOR DENTAL SUCTION SYSTEMS, CONCENTRATION LIQUID FOR THE CLEANING AND CARE OF DENTAL ASPIRATION SYSTEM, 1. WEEKLY USE FORMULA, PLEASANT FRESH SMELL PREVENTS FOAM FORMATION PH (UNDILUTED) APPROXIMATELY. 12.0, EFFECTIVE AGAINST BACTERIA, FUNGI ACTION TIME: 60 MINUTES; PACKAGE: ABOUT 5 LITERS. PLEASANT FRESH SMELL; PREVENTS FOAM FORMATION, HI104IGH PH NOT LESS THAN 9 (UNDILUTED) APPROXIMATELY. 1.0 EFFECTIVE AGAINST BACTERIA, FUNGI ACTION TIME: 60 MINUTES; 5% DILUTION (1 LITER CONCENTRATE =20 LITERS READY TO USE SOLUTION) PACKAGE: ABOUT 5 LITER, TO BE DELIVERED WITH ALL CERTIFICATES ACCORDING TO TECHNICAL CONDITIONS, FREE OF CHARGE DISPENSER, MEASUREMENT TOOL, EN STANDARD, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000
88	5110270702300	ACTIVE LONG LASTING DISINFECTANT EFFECT AGAINST BACTERIA AND FUNGI. EFFECTIVE AGAINST ALGAE AND LIME DEPOSITS AND PREVENT LIMESCALE FORMATION WHEN WARMING WATER OR AFTER WATER COOL DOWN, NON-FOAMING. FRESH MINT FLAVOR, BIO DEGRADABLE ACCORDING TO CLASSIFICATION BY THE OECD (ORGANIZATION FOR ECONOMIC COOPERATION AND DEVELOPMENT, GERMANY) CPH (UNDILUTED) APPROX. 6.0 1% (1 LITER CONCENTRATE = 100 LITERS READY TO USE SOLUTION) PACKAGE: 1 LITER BOTTLE X 4 DENTAL-WATER-LINE DECONTAMINATION FOR DENTAL TREATMENT CENTERS . TO BE DELIVERED WITH ALL CERTIFICATES ACCORDING TO TECHNICAL CONDITION, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000
89	5110271301100	ANTISEPTIC, SKIN ANTISEPTIC, ALCOHOLIC POVIDONE IODINE, CONTAINS 10% POVIDONE IODINE, IN 200-300 ML BOTTLE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	BT	2000
90	4228160405100	SURFACE DISINFECTANT CLEANER FOR FLOOR, WATER-BASED DISINFECTANT CLEANER WITH QUATERNARY AMMONIUM 4TH GENERATION COMPOUNDS AS ACTIVE INGREDIENTS, CONTAINS SURFACE ACTIVE AGENTS FOR ITS CLEANING PROPERTIES. CONCENTRATED, ALDEHYDE-FREE AND PHENOL-FREE FORMULATION -EFFECTIVE AGAINST BACTERIA, FUNGI AND VIRUSES (INCLUDING HIV/HBV). EASILY BIODEGRADABLE -SAFE TO USE-ACTION TIME OF 5 - 60 MINUTES. PACKAGE, 5 LITER X 4 + 1 LITER DOSAGE BOTTLE X 2, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	GAL	500
91	5147150500100	SURFACE DISINFECTANT CLEANER FOR FLOOR, WATER-BASED DISINFECTANT CLEANER WITH QUATERNARY AMMONIUM 5TH GENERATION COMPOUNDS AS ACTIVE INGREDIENTS, CONTAINS SURFACE ACTIVE AGENTS FOR ITS CLEANING PROPERTIES. CONCENTRATED, ALDEHYDE-FREE AND PHENOL-FREE FORMULATION -EFFECTIVE AGAINST BACTERIA, FUNGI AND VIRUSES (INCLUDING HIV/HBV). EASILY BIODEGRADABLE -SAFE TO USE-ACTION TIME OF 5 - 60 MINUTES. PACKAGE, 5 LITER X 4 + 1 LITER DOSAGE BOTTLE X 2, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000
92	5147350300100	SURFACE DISINFECTANT, STABILIZED HYDROGEN PEROXIDE 5% COLLOIDAL SILVER 0.003%, READY TO USE, NO COLOR, NO ODOR, NON IRRITANT, NON DAMAGING TO SURFACES, NON-TOXIC, LEAVES NO HARMFUL RESIDUES, SAFE IN ALL ENVIRONMENTS, SIZE 500 ML, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000
93	4713180001300	LIQUID FOR DECONTAMINATION AND PREVENTION OF BIOFILM FORMATION IN WATERLINE OF MEDICAL AND DENTAL CHAIRS DURING UNUSED OF UNITS (WEEKEND)SIZE 1-1.5L, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	BT	1000

94	4228160404300	SINGLE WIPE SURFACE, PP NON WOVEN ALCOHOL-BASED DISINFECTANT, MAIN FIELD OF APPLICATION IS FOR THE DISINFECTION OF SURFACES, AND DENTAL EQUIPMENT, READY TO USE, ALDEHYDE-FREE AND PHENOL-FREE FORMULATION, EFFECTIVE AGAINST BACTERIA, FUNGI AND VIRUSES (INCLUDING TB, HIV/HBV, CORONA VIRUSES, FLU VIS), EASILY BIODEGRADABLE, QUICK ACTION TIME 30 SECOND, SIZE 20 CM X 30CM AND ABOVE (MATCH WITH EN STANDARD), NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	10000
95	4229540800600	BRUSH / SPONGE, SURGICAL, WITH 4% CHLORHEXIDINE GLUCONATE, STERILE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	177700
96	4229540800500	BRUSH, SURGICAL HAND SCRUB / BRUSH, WITH 7.5% POVIDONE IODINE, DISPOSABLE, STERILE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	235200
97	4214160104800	KIT, EBOLA, LARGE SIZE, CONTAINS: TWO PAIRS, POWDER FREE, NITRILE GLOVES, MEDIUM, MASK, N95, SMALL, MASK, N95, REGULAR, COVERALLS, MEDIUM, PAIR, FULL COVERAGE, BOOT, FACE SHIELD, ANTIFOG, SURGICAL MASK, QACS, OR ALCOHOL WIPES, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
98	4214160104900	KIT, EBOLA, MEDIUM, SIZE: CONTAINS: TWO PAIRS, POWDER FREE, NITRILE GLOVES, LARGE, MASK, N95, SMALL, MASK, N95, REGULAR, COVERALLS, LARGE, PAIR, FULL COVERAGE BOOT, FACE SHIELD, ANTIFOG, SURGICAL, MASK, QACS, OR ALCOHOL WIPES, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
99	4213161600700	KIT, EBOLA, X-LARGE SIZE, CONTAINS: TWO PAIRS, POWDER FREE, NITRILE GLOVES, MEDIUM, MASK, N95, SMALL, MASK, N95, REGULAR, COVERALLS, MEDIUM, PAIR, FULL COVERAGE, BOOT, FACE SHIELD, ANTIFOG, SURGICAL MASK, QACS, OR ALCOHOL WIPES, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	KIT	500
100	4214160105000	KIT, EBOLA, SMALL, SIZE: CONTAINS: TWO PAIRS, POWDER FREE, NITRILE GLOVES, SMALL, MASK, N95, SMALL, MASK, N95, REGULAR, COVERALLS, SMALL, PAIR, FULL COVERAGE BOOT, FACE SHIELD, ANTIFOG, SURGICAL, MASK, QACS, OR ALCOHOL WIPES, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
101	4214160103400	KIT, PREP O.R. SCRUB, WITH CSR WRAPPED, 2 BLOTting TOWELS, 2 ABSORBENT TOWELS, 2 COTTON TIP APPLICATORS, 6 WING SCRUB SPONGES, 3 8 INCHES LOLLIPOP SPONGES, 1 (4 OUNCE) T POVIDONE/IODINE SOLUTION 7.5%, 1 (4 OUNCE) T POVIDONE / IODINE SCRUB10%, 3 COMP TRAY, STERILE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	8820
102	4227201101300	SET, SPILL PACK BODY FLUID (BLOOD, URINE AND VOMIT), NON-STERILE GOWN, NON POWDERED LATEX OR VINYL GLOVES, FACE SHIELD (SINGLE-USE), SCOOP AND SCRAPER, PAPER TOWELS, WASTE BAG (NOT LESS THAN 80 MICRON THICKNESS, YELLOW WITH BIOHAZARD LABEL, 50 GM SUPER ABSORBENT GRANULES, NADCC, CHLORINE TABLETS 2.5GM, WITH BOTTLE FOR DILUTION, EASY TO FOLLOW ILLUSTRATED INSTRUCTIONS ON PACK, ALL CONTENT ARE ENCLOSED IN PLASTIC BAG, SECURED, SINGLE - USE, WITH BIOHAZARD LABEL, AND BLOOD SPILL KIT CLEARLY WRITTEN ON THE BAG, DISPOSABLE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	8985
103	5313160800100	SOAP DEODORANT 1 OUNCE BAR	EA	254000
104	4229542103100	APPLICATOR, DISINFECTANT, SURGICAL, PREP, 6 ML WITH 0.7% IODINE, AND 70-74% ALCOHOL, HAZARDOUS MATERIAL-MATERIAL SAFETY DATA SHEET IS REQUIRED ON DELIVERY OF PRODUCT IN SOFT COPY, STERILE	EA	92788
105	5110270703200	SOLUTION, CHLORHEXIDINE, 100 ML SACHET OF AN AQUEOUS SOLUTION, OF CHLORHEXIDINE GLUCONATE BP 0.05%, FOR EXTERNAL USE, STERILE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500

106	5110270700900	SWAB STICKS, IMPREGNATED WITH 70% ISOPROPYL AND 2% CHLORHEXIDINE FOR CENTRAL LINE INSERTION: SWAB STICKS ARE A WETTED NON-WOVEN PAD ADHERED TO A PLASTIC STICK WHICH IS USED TO SANITIZE THE SKIN, INDIVIDUALLY SEALED IN EASY-TEAR PACKETS, DISPOSABLE, STERILE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	861855
107	5110270701300	SWAB, IMPREGNATED IN 70% ISOPROPYL ALCOHOL AND 2% CHLORHEXIDINE, SIZE: NOT LESS THAN 4 X 4 CM, DISPOSABLE, STERILE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	1000
108	5110270700500	SWAB, STICK, 0.5 % CHLORHEXIDINE GLUCONATE, AND 70% ISOPROPYL ALCOHOL, ANTIMICROBIAL, PREPARED ON A PLASTIC STICK, PER SINGLE POUCH, POLYMER, INDIVIDUALLY PACKAGED, SCENT FREE, DISPOSABLE, STERILE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	270000
109	5110270700700	SWAB, STICK, 2% CHLORHEXIDINE + 70% ALCOHOL, ANTIMICROBIAL, PREPARED ON A PLASTIC STICK, SINGLE UNIT DOSE, POLYMER, INDIVIDUALLY PACKAGED, SCENT FREE, DISPOSABLE, STERILE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
110	5110270703400	SWAB, STICKS, POVIDONE-IODINE, SATURATED, WITH 10% POVIDONE-IODINE, (POVIDONE-IODINE SOLUTION USP), 10 CM LONG, INDIVIDUALLY PACKED, DISPOSABLE, STERILE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	844894
111	5110270701100	SWAB, STICKS, SATURATED, WITH 70% ISOPROPYL ALCOHOL, 10 CM LONG, INDIVIDUALLY PACKED, DISPOSABLE, STERILE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	225720
112	4713150200800	WIPES, ALCOHOL FREE, IMPREGNATED WITH AMMONIUM CHLORIDE, NOT CAUSING ANY SERVICE DAMAGE, CE MARK / FDA APPROVAL, EFFECTIVE AGAINST BACTERIAL, VIRUS, FUNGAL, 50/PACKET, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	915075
113	4713150201900	WIPES, ALCOHOL FREE, IMPREGNATED WITH AMMONIUM CHLORIDE, NOT CAUSING ANY SERVICE DAMAGE, CE MARK / FDA APPROVAL, EFFECTIVE AGAINST BACTERIAL, VIRUS, FUNGAL, SIZE 20 X 30 CM AND ABOVE CANISTER, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	1015000
114	5110271000200	WIPES, BACTERICIDAL, SATURATED, WITH A 70 % W SOLUTION OF ISOPROPYL ALCOHOL BP, FOR THE DISINFECTION OF HARD SURFACES, SIZE: 13X 18 +/-2 CM, PACKING: 100 WIPES CAN, DISPOSABLE, STERILE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	5298200
115	4713150201700	WIPES, FOR BATHING, WATERLESS NON PERFUMED : WIPES FOR BATHING OF PATIENTS, NOT LESS THAN 8 WIPES PER POUCH AND EACH WIPES NOT LESS THAN 33 X 22 CM, FABRIC RESISTANT TO TEARING AND LINTING, NOT LESS THAN 100GMS, LATEX, LANOLIN, EDTA, METHYLLISOTHIAZOLINON / METHYLCHLOROISOTHIAZOLINONE, ETHANOL AND PROPANOL TYPE ALCOHOL AND DETERGENT FREE, DERMATOLOGICALLY APPROVED AND BALANCED TO SKIN PH AND PROVEN TO MOISTURIZE SKIN NON ALLERGIC, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	18000
116	4214150400500	APPLICATOR, CHLORHEXIDINE, CLEAR GLUCONATE, WITH CHLORHEXIDINE GLUCONATE 2 % WITH 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 1 ML FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	500
117	4214150405500	APPLICATOR, CHLORHEXIDINE, CLEAR, GLUCONATE, WITH CHLORHEXIDINE GLUCONATE 0.5 % WITH AND 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 10.5ML, FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	500
118	4214150405600	APPLICATOR, CHLORHEXIDINE, CLEAR, GLUCONATE, WITH CHLORHEXIDINE GLUCONATE 0.5 % WITH AND 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 6 ML, FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	500

119	4111620000800	APPLICATOR, CHLORHEXIDINE, CLEAR, GLUCONATE, WITH CHLORHEXIDINE GLUCONATE 0.5 % WITH AND 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 3ML, FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	500
120	4214150405700	APPLICATOR, CHLORHEXIDINE, CLEAR, GLUCONATE, WITH CHLORHEXIDINE GLUCONATE 1% WITH AND 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 10.5ML, FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	500
121	4214150405800	APPLICATOR, CHLORHEXIDINE, CLEAR, GLUCONATE, WITH CHLORHEXIDINE GLUCONATE 1% WITH AND 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 6 ML, FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	500
122	4111620000900	APPLICATOR, CHLORHEXIDINE, CLEAR, GLUCONATE, WITH CHLORHEXIDINE GLUCONATE 1 % WITH AND 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 3ML, FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	500
123	4214150404700	APPLICATOR, WITH IODINE 10 % AND 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 3 ML, FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	20000
124	4214160103600	DISINFECTANT CAP WITH 2% CHLORHEXIDINE AND 70% ALCOHOL, FOR DISINFECTION OF HUBS AND CONNECTION PORTS, INDIVIDUALLY PACKAGED, STERILE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	50000
125	4214150401200	SWAB STICKS, 10% POVIDONE-IODINE, 3 PER PACK, COTTON TIP, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	2000
126	4214150300200	WIPES, BARRIER PROTECTION CLOTH FOR THE SKIN FROM BODILY FLUIDS(URINE AND FECES), 10% ACTIVE INGREDIENTS(4% DIMETHICONE AND 6% LIQUID PARAFFIN), CLOTH PROVIDE SOAP AND WATER FREE CLEANSING, SOOTHING, MOISTURIZING, ANTI-PRURITIC, ANTI-BACTERIAL AND DEODORIZING BENEFITS TO THE SKIN. CLOTH CONTAINS GLYCERIN, WITCH HAZEL AND CHAMOMILE EXTRACTS. WIPES ARE PARABEN, MIT, ALCOHOL AND LANOLIN FREE. BALANCED TO SKIN PH 5.5, CAN BE USED BY MALES AND FEMALES FROM AGE OF 3 MONTHS. EACH WIPE NOT LESS THAN 20 X 30 CM. PACK OF 25 WIPES. NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
127	4227180000200	AEROSOL MISTING SYSTEM, 250 ML, DIDECYLDIMETHYLAMMONIUM CHLORIDE LESS THAN 0.10%, ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE LESS THAN 0.06%, NON-POWERED, SAFE, COMPACT, PORTABLE BROAD SPECTRUM DISINFECTANT, IDEAL FOR ALL AREAS, MINIMAL DWELL TIME, IDEAL FOR TERMINAL CLEANS, NO COLOR, NO ODOR, NON IRRITANT, NON CORROSIVE OR DAMAGING TO SURFACES, LEAVES NO HARMFUL RESIDUES, CONTINUES TO PROTECT SURFACES AGAINST PATHOGENS EVEN WHEN DRY, DESTROY MICROBES FOR UP TO 4 WEEKS, A HIGH LEVEL BROAD SPECTRUM DISINFECTANT CLEANER WITH PROLONGED ANTIMICROBIAL PROTECTIVE ACTION, FOR USE ON ALL HARD AND SOFT SURFACES, IT KILLS GREATER THAN 99.999% PATHOGENS AND INHIBITS BACTERIAL SPORES AND IS OSHA BLOOD-BORNE PATHOGEN COMPLIANT, DESTROYERS VIRUSES, OSHA BLOOD-BORNE PATHOGEN COMPLIANT, INHIBITS BACTERIAL SPORES, ERADICATES MOULDS/FUNGI/YEAST, NO COLOR, NO ODOR, NON IRRITANT, NON CORROSIVE OR DAMAGING TO SURFACES, LEAVES NO HARMFUL RESIDUES, SAFE IN ALL ENVIRONMENTS, PROLONGED ANTIMICROBIAL PROTECTIONS, DISPOSABLE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500

128	4227180000400	HAND SANITIZER FOAMER, 600 ML, IS A DISINFECTANT / ANTISEPTIC, IT IS INTENDED FOR USE AS A SKIN ANTISEPTIC AND OFFERS SAFE, EFFECTIVE, USER FRIENDLY HAND AND SKIN CLEANSING, DISINFECTION AND SANITATION ACROSS A WIDE RANGE OF INDUSTRIES INCLUDING HEALTHCARE, IT IS BASED AROUND THE QUATERNARY AMMONIUM COMPOUND, BENZALKONIUM CHLORIDE (BAC), WITH AN ADJUVANT EFFECT TO ENHANCE ITS ANTIMICROBIAL EFFICACY, WITH DISPENSER, BOTTLE, NOTE: MSDS SHOULD BE PROVIDED IN SOFT COPY	EA	500
129	4214150406000	APPLICATOR, IODINE WITH 10 % WITH AND 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 10.5 ML, FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	500
130	4214150406100	APPLICATOR, IODINE WITH 10 % WITH AND 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 6 ML, FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	500
131	4214150405900	APPLICATOR, CHLORHEXIDINE, TINTED, GLUCONATE, WITH CHLORHEXIDINE GLUCONATE 2 % WITH AND 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 6 ML, FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	500
132	4214150404600	APPLICATOR, CHLORHEXIDINE, TINTED, GLUCONATE, WITH CHLORHEXIDINE GLUCONATE 2 % WITH AND 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 3 ML, FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	500
133	4214150404500	APPLICATOR, CHLORHEXIDINE, TINTED, GLUCONATE, WITH CHLORHEXIDINE GLUCONATE 2 % WITH AND 70 % V/V ISOPROPYL ALCOHOL, LATEX FREE, DEHP FREE, SIZE: 10.5 ML, FOR PATIENTS PRE-OPERATIVE SKIN PREPARATION, INDIVIDUALLY PACKED, DISPOSABLE, STERILE	EA	500
134	4713150201800	WIPES, STERILE FOR WOUNDS, STOMA, TRACH, FRAGILE AND DRY SKIN CLEANSING AND HYDRATION, MEDICAL DEVICE CLASS 2A, CONTAINS ALOE VERA, PHOSPHOLIPIDS AND ALLANTOIN FREE OF ALCOHOL, ACIDS, PERFUME, SIZE 20 X 21 CM, NON STRETCHABLE WIPE, SAFE TO BE APPLIED ON EYES, WOUNDS AND MUCOSAL MEMBRANE, NOT MORE THAN 4 WIPES/PACK	EA	500
135	4229542200100	WIPES, CHLORHEXIDINE WIPES, PATIENT'S SKINCARE, CONTAIN 2 % CHLORHEXIDINE, MOISTURIZING SOLUTION, WATERLESS, ALCOHOL, LATEX AND PERFUME FREE, SIZE: NOT LESS THAN 20 X 20 CM, NOT LESS THAN 12 WIPES PER POUCH, DISPOSABLE	EA	197000
136	4229545100200	TISSUE TREATMENT AND CLEANSING HIGHLY VISCOSE FABRIC ENRICHED WITH POLOXAMER, ALOE VERA, PHOSPHOLIPIDS AND ALLANTOIN, MEDICAL DEVICE CLASS IIB, FREE ALCOHOL AND ACIDS, NOT PERFUMED, MITTS SHAPE SIZE NOT LESS THAN 14X14 CM, STERILE, SINGLE PACK	EA	500
137	4231210502200	SKIN TREATMENT AND NOURISHING BALM, CONTAINS ALOE VERA, ORGANIC OLIVE OIL AND WHEAT GERM OIL, FREE OF ALCOHOL, CHEMICALS AND UREA, MEDICAL DEVICE CLASS II (NOT COSMETIC), 200 ML	EA	500
138	4214160105800	PERSONAL KIT, 1 EACH COMB, 1 EACH SHAMPOO 125ML (SODIUM LAURETH SULPHATE, COCAMIDOPROPYL BETAINE, ETHANOLAMINE, SORBITOL, AQUA, CITRIC ACID, FRAGRANCE, PRESERVATIVES, F.D AND COLORS), 1 EACH LOTION 125 ML (AQUA, STEARIN, GLYCERYL MONO STEARATE, LANOLIN, PRESERVATIVES, TEA, FRAGRANCE AND COLORS FDC), 2 EACH COTTON TIP APPLICATOR, 2 EACH NURSE CAP, 1 PAIR SLIPPERS	KIT	500